

PSC NO: 88 GAS
 NEW YORK STATE ELECTRIC & GAS CORPORATION
 Initial Effective Date: 1/1/2009

ADDENDUM TO PSC NO. 88

Addendum Type: Gas
 Addendum No: 11
 Page 1 of 1

Customer Number	Rates & Charges (\$/Dth)	Location (NY)	Max. Daily Quantity (Dth/day)	Min. Annual Quantity (Dth)	Min. Delivery Pressure (psig)	Alternate Gas Supplier Distance (Miles)	Term of Service (Years)	Estimated Load Factor - (%)	End Use	Service Level	Service Class
1	0.15 - 0.50	Elmira	4,200	300,000	2(a)	4	5	88	Mfg.	Ltd. Firm	SC 7
2	0.15 - 0.60	Watkins Glen	1,000	20,000	2(a)	1	5	13	Mfg.	Ltd. Firm	SC 7
3	0.10 - 1.00	Elmira	1,000	36,000	2(a)	5	5	35	Inst.	Firm	SC 7
4	0.10 - 0.75	Ithaca	1,000	175,000	2(a)	1	5	42	Mfg.	Firm	SC 7
5	0.10 - 0.80	Geneva	4,000	1,000,000	2(a)	4	5	90	Mfg.	Firm	SC 7
6	0.25 - 1.00	Albion	2,450	250,000	2(a)	14	10	40	Mfg.	Ltd. Firm	SC 7
7	0.10 - 1.00	Ithaca	1,450	N/A	2(a)	1	5	42	Inst.	Firm	SC 7
8	1.00 - 2.00	Lowville	200	10,000	2(a)	7	7	46	Inst.	Firm	SC 7
9	0.10 - 0.50	Auburn	3,500	800,000	2(a)	1	10	75	Mfg.	Firm	SC 7
10	0.50 - 1.00	Cortland	2,000	25,000	2(a)	1	5	17	Mfg.	Ltd. Firm	SC 7
11	0.10 - 0.75	Seneca Falls	1,200	80,000	2(a)	2	10	68	Mfg.	Firm	SC 7
12	0.10 - 1.00	Morrisville	550	125,000	35	1	5	38	Inst.	Firm	SC 7
13	0.10 - 0.60	Watkins Glen	1,400	375,000	2(a)	3	5	88	Mfg.	Ltd. Firm	SC 7
14	0.50 - 1.50	Peru	200	24,000	2(a)	10	10	26	Inst.	Firm	SC 7
15	0.80 - 1.50	Norwich	150	N/A	2(a)	24	5	36	Inst.	Ltd. Firm	SC 7
16	0.10 - 1.00	Auburn	2,000	250,000	50	1	5	40	Mfg.	Firm	SC 7
17	0.80 - 1.50	S. New Berlin	30	N/A	2(a)	24	5	48	Inst.	Ltd. Firm	SC 7
18	0.40 - 1.00	Lockport	900	200,000	2(a)	1	5	98	Mfg.	Firm	SC 7
19	0.10 - 1.00	Ithaca	2,600	25,000	2(a)	1	5	15	Inst.	Firm	SC 7
20	0.10 - 1.00	Dresden	2,700	N/A	2(a)	11	5	9	Self Gen.	Ltd. Firm	SC 7
21	0.10 - 1.20	Norwich	25	N/A	2(a)	23	5	40	Inst.	Ltd. Firm	SC 7
22	0.10 - 1.20	Shelby	4,800	N/A	50	7	5	90	Mfg.	Firm	SC 7
23	0.10 - 0.50	Endicott	4,200	800,000	2(a)	4	10	75	Mfg.	Ltd. Firm	SC 7
24	0.10 - 1.00	Horseheads	200	22,000	2(a)	5	7	40	Mfg.	Firm	SC 7
25	0.10 - 1.00	Romulus	250	100,000	2(a)	8	10	20	Inst.	Firm	SC 7

N/A - Not Applicable

Mfg. - Manufacturing

Self Gen. - Self Generation

Inst. - Institutional

(a) Service Agreement does not establish a minimum pressure - 2 psig is the minimum pressure of the applicable rate schedule.

ISSUED BY: James A. Lahtinen, Vice President Rates and Regulatory Economics, Binghamton, New York