

PSC NO: 219 GAS
NIAGARA MOHAWK POWER CORPORATION
INITIAL EFFECTIVE DATE: **04/20/09**

ADDENDUM TYPE: GAS
ADDENDUM NO: **5**
PAGE 1 OF **3**

ADDENDUM NO. 5 TO PSC NO. 219 GAS

	Customer 1	Customer 2	Customer 3
Base Rates Subject to Surcharges & Escalation			
Escalator			
Town			
County			
Maximum Daily Delivery Quantity	18,000 DT	16,800 DT	185,000 DT
Maximum Annual Delivery Quantity	6,750,000 DT	6,132,000 DT	67,525,000 DT
Maximum Delivery Pressure	350 PSIG	325 PSIG	425 PSIG
Pipeline Distance to Delivery Point	2.5 Miles	2.5 Miles	27.0 Miles
Straight-Line distance to Delivery Point			
Primary Term	20 Years	20 Years	20 Years
Winter Period Interruptibility or Peak Shave	15 Days	15 Days	Firm
Load Factor	1%	29%	25%
End Use	Cogeneration	Cogeneration	Cogeneration

Issued By: Thomas B. King, President, Syracuse, New York

PSC NO: 219 GAS
NIAGARA MOHAWK POWER CORPORATION
INITIAL EFFECTIVE DATE: **04/20/09**

ADDENDUM TYPE: GAS
ADDENDUM NO: **5**
PAGE 2 OF **3**

ADDENDUM NO.5 TO PSC NO. 219 GAS

	Customer 4	Customer 5	Customer 6
Base Rates Subject to Surcharges & Escalation			
Escalator			
Town			
County			
Maximum Daily Delivery Quantity	14,000 DT	3,500 DT	26,000 DT
Maximum Annual Delivery Quantity	5,110,000 DT	1,277,500 DT	9,490,000 DT
Maximum Delivery Pressure	15 PSIG	17 PSIG	150 PSIG
Pipeline Distance to Delivery Point	27.0 Miles	42 Miles	30 Miles
Straight-Line distance to Delivery Point			
Primary Term	5 Years	1 Year Evergreen	20 Years
Winter Period Interruptibility or Peak Shave	15 Days	Unlimited	45 Days
Load Factor	55%	27%	50%
End Use	Process	Process	Cogeneration

Issued By: Thomas B. King, President, Syracuse, New York

PSC NO: 219 GAS
NIAGARA MOHAWK POWER CORPORATION
INITIAL EFFECTIVE DATE: **04/20/09**

ADDENDUM TYPE: GAS
ADDENDUM NO: **5**
PAGE **3** OF **3**

ADDENDUM NO. 5 TO PSC NO. 219 GAS

	Customer 7	Customer 8	Customer 9
Base Rates Subject to Surcharges & Escalation			
Escalator			
Town			
County			
Maximum Daily Delivery Quantity	15,000 DT	2,600 DT	2,350 DT
Maximum Annual Delivery Quantity	5,400,000 DT	949,000 DT	857,750 DT
Maximum Delivery Pressure	325 PSIG	325 PSIG	14 PSIG
Pipeline Distance to Delivery Point	13.0 Miles		2 Miles
Straight-Line distance to Delivery Point			
Primary Term	7 Years 1 Year Evergreen	5 Years Evergreen	10 Years Evergreen
Winter Period Interruptibility or Peak Shave	Unlimited	FIRM	Unlimited
Load Factor	10%	45%	49%
End Use	Cogeneration	Process	Process

Issued By: Thomas B. King, President, Syracuse, New York