

..DID: 6884
 ..TXT: PSC NO: 88 GAS ADDENDUM TYPE: GAS
 COMPANY: NEW YORK STATE ELECTRIC & GAS CORPORATION ADDENDUM NO: 5
 INITIAL EFFECTIVE DATE: 02/21/99
 STAMPS:
 RECEIVED: 01/21/99 STATUS: Effective EFFECTIVE: 02/21/99

ADDENDUM TO PSC NO. 88

	Customer 1	Customer 2	Customer 3
Rates and Charges (\$/Dth)	0.13 to 0.28	0.10 to 0.63	0.10 to 0.63
Customer Location (NY)	Binghamton	Kirkwood	Watkins Glen
Maximum Daily Quantity (Dth/day)	2,000	2,300	3,000
Minimum Annual Quantity (Dth)	375,000	430,000	141,304 (a)
Minimum Delivery Pressure (psig)	2 (b)	2 (b)	20
Miles to Alternate Gas Supplier	4.1	3	1.3
Initial Term of Service (Years)	5	5	5
Estimated Load Factor (%)	100	52	50
End Use	Mfg.	Mfg.	Mfg.
Service Level	Interruptible	Interruptible	Interruptible
Applicable Service Classification	S.C. 7	S.C. 7	N/A

- (a) Minimum Annual Quantity is derived from Service Agreement minimum for five year term of agreement.
- (b) Service Agreement does not establish a minimum pressure - 2 psig is the minimum pressure of the applicable rate schedule.
- (c) Maximum Daily Standby Quantity is 1,200 Dth/day.
- (d) Maximum Daily Standby Quantity is 400 Dth/day.
- (e) Service Agreement does not establish a minimum pressure - .25 psig (7" water column) is the minimum pressure of the applicable rate schedule.

Dated: 01/21/99

Issued By: George E. Bonner Vice President, Binghamton, New York
 (Name of Officer, Title, Address)

ADDENDUM TYPE: GAS
ADDENDUM NO: 5

	Customer 4	Customer 5	Customer 6
Rates and Charges (\$/Dth)	0.10 to 0.63	0.10 to 0.63	0.10 to 0.63
Customer Location (NY)	Lockport	Lockport	Watkins Glen
Maximum Daily Quantity (Dth/day)	4,000	1,600 (c)	6,240
Minimum Annual Quantity (Dth)	250,000	100,000	650,000
Minimum Delivery Pressure (psig)	2 (b)	2 (b)	20
Miles to Alternate Gas Supplier	1.7	.75	2
Initial Term of Service (Years)	5	5	10
Estimated Load Factor (%)	100	50	70
End Use	Mfg.	Mfg.	Mfg.
Service Level	Ltd. Firm	Firm	Interruptible
Applicable Service Classification	S.C. 7	S.C. 7	S.C. 7

- (a) Minimum Annual Quantity is derived from Service Agreement minimum for five year term of agreement.
- (b) Service Agreement does not establish a minimum pressure - 2 psg is the minimum pressure of the applicable rate schedule.
- (c) Maximum Daily Standby Quantity is 1,200 Dth/day.
- (d) Maximum Daily Standby Quantity is 400 Dth/day.
- (e) Service Agreement does not establish a minimum pressure - .25 psig (7" water column) is the minimum pressure of the applicable rate schedule.

Dated: 01/21/99

Issued By: George E. Bonner Vice President, Binghamton, New York
(Name of Officer, Title, Address)

ADDENDUM TYPE: GAS
ADDENDUM NO: 5

	Customer 7	Customer 8	Customer 9
Rates and Charges (\$/Dth)	0.10 to 0.85	0.10 to 3.00	0.10 to 0.90
Customer Location (NY)	Ithaca	Patterson	Ithaca
Maximum Daily Quantity (Dth/day)	2,000 (d)	800	1,250
Minimum Annual Quantity (Dth)	N/A	125,000	150,000
Minimum Delivery Pressure (psig)	0.25 (e)	35	2 (b)
Miles to Alternate Gas Supplier	0	5	.25
Initial Term of Service (Years)	5	10	5
Estimated Load Factor (%)	50	50	50
End Use	Institutional	Institutional	Mfg.
Service Level	Firm	Ltd. Firm	Firm
Applicable Service Classification	S.C. 7	S.C. 7	S.C. 7

- (a) Minimum Annual Quantity is derived from Service Agreement minimum for five year term of agreement.
- (b) Service Agreement does not establish a minimum pressure - 2 psg is the minimum pressure of the applicable rate schedule.
- (c) Maximum Daily Standby Quantity is 1,200 Dth/day.
- (d) Maximum Daily Standby Quantity is 400 Dth/day.
- (e) Service Agreement does not establish a minimum pressure - .25 psig (7" water column) is the minimum pressure of the applicable rate schedule.

Dated: 01/21/99

Issued By: George E. Bonner Vice President, Binghamton, New York
(Name of Officer, Title, Address)

ADDENDUM TYPE: GAS
ADDENDUM NO: 5

	Customer 10	Customer 11	Customer 12	
Rates and Charges (\$/Dth)	0.10 to 0.80	0.80 to 2.25	S.C. 5	
Customer Location (NY)	Auburn	Brewster	Enfield	
Maximum Daily Quantity (Dth/day)	2,600	150	75	
Minimum Annual Quantity (Dth)	450,000 (a)	22,000	3,000	
Minimum Delivery Pressure (psig)	2 (b)	2 (b)	2 (b)	
Miles to Alternate Gas Supplier	1	1.5	N/A	
Initial Term of Service (Years)	5	5	5	
Estimated Load Factor (%)	50	58	3	7
End Use	Mfg.	Mfg.	Mfg.	
Service Level	Firm	Firm	Firm	
Applicable Service Classification	S.C. 7	S.C. 7	S.C. 7	

- (a) Minimum Annual Quantity is derived from Service Agreement minimum for five year term of agreement.
- (b) Service Agreement does not establish a minimum pressure - 2 psg is the minimum pressure of the applicable rate schedule.
- (c) Maximum Daily Standby Quantity is 1,200 Dth/day.
- (d) Maximum Daily Standby Quantity is 400 Dth/day.
- (e) Service Agreement does not establish a minimum pressure - .25 psig (7" water column) is the minimum pressure of the applicable rate schedule.

Dated: 01/21/99

Issued By: George E. Bonner Vice President, Binghamton, New York
(Name of Officer, Title, Address)

ADDENDUM TYPE: GAS
ADDENDUM NO: 5

	Customer 13	Customer 14	Customer 15
Rates and Charges (\$/Dth)	0.30 to 2.50	0.30 to 2.50	0.30 to 2.50
Customer Location (NY)	Lowville	Lowville	Lowville
Maximum Daily Quantity (Dth/day) 169	600	175	
Minimum Annual Quantity (Dth)	117,000	31,475	22,500
Minimum Delivery Pressure (psig)	2 (b)	2 (b)	2 (b)
Miles to Alternate Gas Supplier	7	7	7
Initial Term of Service (Years)	5	7	5
Estimated Load Factor (%)	50%	50%	36%
End Use	Mfg.	Institutional	Mfg.
Service Level	Firm	Firm	Firm
Applicable Service Classification	S.C. 7	S.C. 7	S.C. 7

- (a) Minimum Annual Quantity is derived from Service Agreement minimum for five year term of agreement.
- (b) Service Agreement does not establish a minimum pressure - 2 psig is the minimum pressure of the applicable rate schedule.
- (c) Maximum Daily Standby Quantity is 1,200 Dth/day.
- (d) Maximum Daily Standby Quantity is 400 Dth/day.
- (e) Service Agreement does not establish a minimum pressure - .25 psig (7" water column) is the minimum pressure of the applicable rate schedule.

Dated: 01/21/99

Issued By: George E. Bonner Vice President, Binghamton, New York
(Name of Officer, Title, Address)

ADDENDUM TYPE: GAS
ADDENDUM NO: 5

	Customer 16	Customer 17	Customer 18
Rates and Charges (\$/Dth)	0.30 to 2.50	0.30 to 2.50	0.05 to 2.50
Customer Location (NY)	Lowville	Lowville	Geneva
Maximum Daily Quantity (Dth/day)	288	150	5,000
Minimum Annual Quantity (Dth)	37,820	17,700	500,000
Minimum Delivery Pressure (psig)	2 (b)	2 (b)	2 (b)
Miles to Alternate Gas Supplier	7	7	N/A
Initial Term of Service (Years)	5	7	5 1/2
Estimated Load Factor (%)	80%	35%	100%
End Use	Mfg.	Institutional	Mfg.
Service Level	Firm	Firm	Firm
Applicable Service Classification	S.C. 7	S.C. 7	S.C. 7

- (a) Minimum Annual Quantity is derived from Service Agreement minimum for five year term of agreement.
- (b) Service Agreement does not establish a minimum pressure - 2 psig is the minimum pressure of the applicable rate schedule.
- (c) Maximum Daily Standby Quantity is 1,200 Dth/day.
- (d) Maximum Daily Standby Quantity is 400 Dth/day.
- (e) Service Agreement does not establish a minimum pressure - .25 psig (7" water column) is the minimum pressure of the applicable rate schedule.

Dated: 01/21/99

Issued By: George E. Bonner Vice President, Binghamton, New York
(Name of Officer, Title, Address)

ADDENDUM TYPE: GAS
ADDENDUM NO: 5

	Customer 19	Customer 20	Customer 21
Rates and Charges (\$/Dth)	0.10 to 1.00	0.25 to 2.00	0.10 to 1.00
Customer Location (NY)	Owego	Little Falls	Lyons Falls
Maximum Daily Quantity (Dth/day)	650	1,200	1,100
Minimum Annual Quantity (Dth)	N/A	140,000	122,000
Minimum Delivery Pressure (psig)	2 (b)	20	2 (b)
Miles to Alternate Gas Supplier	4	5	2
Initial Term of Service (Years)	5	7	5
Estimated Load Factor (%)	100%	35%	35%
End Use	Mfg.	Mfg.	Mfg.
Service Level	Firm	Firm	Firm
Applicable Service Classification	S.C. 7	S.C. 7	S.C. 7

- (a) Minimum Annual Quantity is derived from Service Agreement minimum for five year term of agreement.
- (b) Service Agreement does not establish a minimum pressure - 2 psig is the minimum pressure of the applicable rate schedule.
- (c) Maximum Daily Standby Quantity is 1,200 Dth/day.
- (d) Maximum Daily Standby Quantity is 400 Dth/day.
- (e) Service Agreement does not establish a minimum pressure - .25 psig (7" water column) is the minimum pressure of the applicable rate schedule.

Dated: 01/21/99

Issued By: George E. Bonner Vice President, Binghamton, New York
(Name of Officer, Title, Address)

ADDENDUM TYPE: GAS
ADDENDUM NO: 5

	Customer 22	Customer 23	Customer 24
Rates and Charges (\$/Dth)	0.10 to 1.00	0.10 to 1.00	0.10 to 1.50
Customer Location (NY)	Seneca Falls	Elmira	Cobleskill
Maximum Daily Quantity (Dth/day)	1,200	1,061	170
Minimum Annual Quantity (Dth)	80,000	N/A	0
Minimum Delivery Pressure (psig)	15	2 (b)	2 (b)
Miles to Alternate Gas Supplier	2	6	N/A
Initial Term of Service (Years)	10	5	5
Estimated Load Factor (%)	30%	30%	50%
End Use	Mfg.	Institutional	Institutional
Service Level	Firm	Firm	Firm
Applicable Service Classification	S.C. 7	S.C. 7	S.C. 7

- (a) Minimum Annual Quantity is derived from Service Agreement minimum for five year term of agreement.
- (b) Service Agreement does not establish a minimum pressure - 2 psig is the minimum pressure of the applicable rate schedule.
- (c) Maximum Daily Standby Quantity is 1,200 Dth/day.
- (d) Maximum Daily Standby Quantity is 400 Dth/day.
- (e) Service Agreement does not establish a minimum pressure - .25 psig (7" water column) is the minimum pressure of the applicable rate schedule.

Dated: 01/21/99

Issued By: George E. Bonner Vice President, Binghamton, New York
(Name of Officer, Title, Address)

ADDENDUM TYPE: GAS
ADDENDUM NO: 5

	Customer 25	Customer 26
Rates and Charges (\$/Dth)	0.50 to 1.00	0.20 to 0.75
Customer Location (NY)	Canaan	Dundee
Maximum Daily Quantity (Dth/day)	80	750
Minimum Annual Quantity (Dth)	N/A	N/A
Minimum Delivery Pressure (psig)	2 (b)	2 (b)
Miles to Alternate Gas Supplier	1	3
Initial Term of Service (Years)	5	5
Estimated Load Factor (%)	50%	100%
End Use	Institutional	Mfg.
Service Level	Firm	Firm
Applicable Service Classification	S.C. 7	S.C. 7

- (a) Minimum Annual Quantity is derived from Service Agreement minimum for five year term of agreement.
- (b) Service Agreement does not establish a minimum pressure - 2 psg is the minimum pressure of the applicable rate schedule.
- (c) Maximum Daily Standby Quantity is 1,200 Dth/day.
- (d) Maximum Daily Standby Quantity is 400 Dth/day.
- (e) Service Agreement does not establish a minimum pressure - .25 psig (7" water column) is the minimum pressure of the applicable rate schedule.

Dated: 01/21/99

Issued By: George E. Bonner Vice President, Binghamton, New York
(Name of Officer, Title, Address)