

..DID: 1351
 ..TXT: PSC NO: 218 GAS ADDENDUM TYPE: GAS
 COMPANY: NIAGARA MOHAWK POWER CORPORATION ADDENDUM NO: 1
 INITIAL EFFECTIVE DATE: 09/12/97
 STAMPS:
 Cancelled by Addendum GAS Number 2 Effective 12/22/1998
 RECEIVED: 09/09/97 STATUS: Cancelled EFFECTIVE: 09/12/97
 ADDENDUM NO. 1

Project	Base Rates Subject to Surcharges and Escalation	Escalator	Town	County	Maximum Daily Delivery Quantity	Maximum Annual Delivery Quantity
1					12,850 DT	4,690,250 DT
2					7,080 DT	2,584,000 DT
3					1,580 DT	550,000 DT
4					13,500 DT	4,161,000 DT
5					3,288 DT	1,200,000 DT
6					14,000 DT	4,200,000 DT
7					14,200 DT	5,200,000 DT
8					14,200 DT	5,200,000 DT
9					13,600 DT	4,964,000 DT
10					18,000 DT	6,750,000 DT
11					16,800 DT	6,132,000 DT
12					195,000 DT	67,525,000 DT
13					15,600 DT	5,694,000 DT
14					17,430 DT	6,361,950 DT
16					14,000 DT	5,110,000 DT
17					1,700 DT	620,500 DT
18					3,000 DT	1,095,000 DT
19					6,600 DT	2,409,000 DT
20					13,500 DT	4,927,500 DT

Issued By: Albert J. Budney, Jr., President, Syracuse, New York

ADDENDUM TYPE: GAS
ADDENDUM NO: 1
PAGE: 2

Project	Minimum Delivery Pressure	Pipeline Distance to Delivery Point	Straight-Line Distance to Delivery Point	Primary Term	Winter Period Interruptibility or Peak Shave	Load Factor	End Use
1	175 PSIG	12.4 Miles		17 Yrs	45 Days	80%	Cogeneration
2	100 PSIG	10.4 Miles		10 Yrs	15 Days	80%	Cogeneration
3	30 PSIG	9.9 Miles		10 Yrs	Firm	80%	Cogeneration
4	325 PSIG	23.0 Miles		15 Yrs	35 Days	80%	Cogeneration
5	5 PSIG	47 Miles		10 Yrs	Limited Peak Day	80%	Cogeneration
6	325 PSIG	3.95 Miles		20 Yrs	Firm	80%	Cogeneration
7	75 PSIG	48.5 Miles		20 Yrs	35 Days	80%	Cogeneration
8	90 PSIG	31.5 Miles		20 Yrs	35 Days	80%	Cogeneration
9	325 PSIG	3.8 Miles		20 Yrs	35 Days	55%	Cogeneration
10	350 PSIG	2.5 Miles		20 Yrs	35 Days	80%	Cogeneration
11	325 PSIG	2.5 Miles		20 Yrs	15 Days	80%	Cogeneration
12	425 PSIG	27.0 Miles		20 Yrs	Firm	N/A	Cogeneration
13	30 PSIG	22.7 Miles		20 Yrs	35 Days	80%	Cogeneration
14	30 PSIG	13.7 Miles		15 Yrs	45 Days	30%	Cogeneration
16	15 PSIG	27.0 Miles		5 Yrs	15 Days	80%	Process
17	17 PSIG	42 Miles		1 Yr	Unlimited	70%	Process
18	Existing	5.7 Miles		2 Yrs	15 Days	46%	Process
19	Existing	2.3 Miles		1 Yr	40 Days	24%	Process
20	40 PSIG	30 Miles		5 Yrs	50 Days	50%	Process

Issued By: Albert J. Budney, Jr., President, Syracuse, New York