Status: CANCELLED Received: 11/09/2021 Effective Date: 11/13/2021

PSC No: 9 GAS Statement Type: BSC Statement No: 85

CONSOLIDATED EDISON COMPANY OF NEW YORK, INC.

INITIAL EFFECTIVE DATE: 11/13/2021

STATEMENT OF BALANCING SERVICE CHARGES **APPLICABLE TO SERVICE CLASSIFICATION NOS. 9 AND 20**

	-	elivery Service (DDS) (effective for the month of Novembed in SC 20 - Operational Matters (C)(1)	ber 2021)	\$/Dth
1.	Tier 2	2(A) - Managed Supply (Storage)	Annual Demand Price	Effective Monthly Rate
De	emand	rate/dtherm (annual cost recovered over 5 winter months)		·
Co	ommod	lity rate / dtherm		\$ 2.850
2.	Tier 3	3 - Peaking		
		,	Annual Demand Price	Effective Monthly Rate
De	emand	rate/dtherm (annual cost recovered over 5 winter months)	44.364	8.873
Co	ommod			
	Tra	ansco Zone 6 NY mid-point price	33.0%	
		exas Eastern M3 mid-point price	18.0%	
		oquois Zone 2 mid-point price	49.0%	
		NG is called upon by the Company to meet peak demand the Tier de the Company's LNG inventory price.	3 commodity price	
3.	Base	load		
				Effective Monthly
				<u>Rate</u>
В	aseloa	d Service Commodity Price		N/A
		eload Service Commodity Price, in dollars per dekatherm, is calcula		ΕX
settlement price for the month of flow and the weighted average of the contracted basis by citygate, with the weighting based on the quantity of Baseload Service delivered the city gates listed below:				
	т.	White Dising	07.40/	
		ennessee – White Plains exas Eastern – Lower Manhattan		
		equois - Hunts Point		
		ansco – Manhattan	0.0%	
	• • •		0.070	
B. Fi	rm Tr	ansportation - Daily Balancing		<u>\$/therm</u>
		thly Imbalance Charges per therm applicable to Surplus or by Imbalances payable by an SC 20 Seller who delivers gas for		
		stomer or a firm customer aggregation group taking Daily Delivery	Service:	
1.		irplus Imbalance		\$ 0.10
2.		eficiency Imbalance charge per therm during summer and winter		σ.10
		riods as explained on Leaf Nos. 367 and 367.1		
	a.	Up to 2%		100% x cost of gas
	a. b.	Greater than 2% but less than 5%		110% x cost of gas
		5% and above		11070 A COSt Of gas
	C.		A	10 10 1 1200/ v ct -f
		1. summer period		\$0.10 + 120% x cost of gas \$1.00 + 120% x cost of gas
		Z. Wiliter period	······································	#1.00 1 120 /0 x 6051 01 yas

higher of \$5.00 or \$1.00 + 120% x cost of gas

3. Deficiency Imbalance during an OFO period 2/18/2021

Status: CANCELLED Received: 11/09/2021 Effective Date: 11/13/2021

PSC No: 9 GAS Statement Type: BSC

CONSOLIDATED EDISON COMPANY OF NEW YORK, INC.

INITIAL EFFECTIVE DATE: 11/13/2021

Statement No: 85 Page 2 of 2

0.0014

STATEMENT OF BALANCING SERVICE CHARGES APPLICABLE TO SERVICE CLASSIFICATION NOS. 9 AND 20

C. Citygate Balancing Charges for Interruptible Monthly Balancing Service	<u>\$/therm</u>			
The Citygate Balancing Charges per therm applicable to Surplus or Deficiency Imbalances payable by an SC 20 Seller who delivers gas for Interruptible or Off-Peak Firm SC 9 customers or a Direct Customers as described in SC 20 - Charges and Credits (C):				
Citygate Surplus Credit	daily cashout price			
Citygate Deficiency Charge	daily cashout price + \$2.50 per therm			
Citygate Deficiency Charge during an OFO period	daily cashout price + \$5.00 per therm			
The daily cashout price is set at the cost of gas as described in SC 20 - Charges and Credits (C)				
D. Group Balancing Service				
The balancing charge per therm applicable to all gas consumed by an Interruptible or Off-Peak Firm SC 9 customer Group Balancing Service during the monthly billing period	\$ 0.0020			
E. Variable Balancing Charge - Interruptible Daily Balancing Service				
The balancing charge per therm applicable to all gas consumed by an Interruptible or Off-Peak Firm SC 9 customer taking Daily Balancing Service during the monthly billing period	\$ 0.0015			
F. Variable Balancing Charge - Interruptible Monthly Balancing Service				
The balancing charge per therm applicable to all gas consumed by an Interruptible or Off-Peak Firm SC 9 customer taking Monthly Balancing Service during the monthly billing period	\$ 0.0020			
G. Variable Balancing Charge - Power Generators				
The balancing charge per therm applicable to all gas consumed by Power	0.0011			