# Rider X - Workpapers

# **Table of Contents**

Schedule 1	Electric Underground Facilities Rental Rate Calculation	5 pages
Schedule 2	Service Lateral Rental Rate Calculation	4 pages
Schedule 3	Innerduct/Telecom Manhole Use Rental Rate Calculation	1 page
Schedule 4	Tunnel Rental Rate Calculation	2 pages
Schedule 5	River Crossing Rental Rate Calculation	1 page
Schedule 6	Manhole Point of Entry / Exit Rental Rate Calculation	1 page
Schedule 7	Transmission Tower Attachment Rental Rate Calculation	1 page
Schedule 8	Rights-of-Way Calculation	1 page
Schedule 9	Telecommunications Manhole Average Cost Calculation	1 page
Schedule 10	Unused Telecom Manhole Average Cost Calculation	1 page

## **Backbone/Spur Route Rate Calculation**

### Formula based on FCC "Reconsideration Order", Appendix F-2, adopted May 22, 2001

Rate = (1 / number of innerduct) X (Net Conduit Investment / Total System Conduit Footage) X Carrying Charge Where;

			Information Source
Net Conduit Investment	(A)	2,632,662,757	Schedule 1, page 2 of 5
Carrying Charge	(B)	33.52%	Schedule 1, page 4 of 5
Total System Conduit Footage	(C)	134,186,589	Schedule 1, page 5 of 5
Rate per Foot of Innerduct (Existing Co	onduit)	= (1 / Number of Inne	erducts) X ( A / C ) X B
Average Innerduct per Duct		2.94	Schedule 1, page 5 of 5
Rate per Foot of Innerduct (Existing Co	onduit)	\$2.2371	Annual Rate

#### Schedule 1 Page 2 of 5

#### Consolidated Edison Company of New York, Inc. Rider X

### **Net Conduit Investment Calculation**

### Information Source

Gross Conduit Investment, Acct. 366 \$ 4,202,265,007 PSC Annual Report, p. 207, line 66, col g

Less Accumulated Depreciation, Acct. 366 954,188,115 Schedule 1, page 3 of 5

Less ADIT, Conduit 615,414,136 Schedule 1, page 3 of 5

Net Conduit Investment \$ 2,632,662,757

### **ADIT & Accumulated Depreciation**

Formula based on FCC "Reconsideration Order", Appendix F-2, adopted May 22, 2001

Accumulated Depreciation, services

#### **ADIT**

#### Accounts 366, 367, 369

ADIT (366, 367, 369) = [Gross Conduit Investment (Account 366, 367, or 369) / Total Gross Plant (electric)] X (Total ADIT Account 190, electric)

Given:				Information Source
Gross Conduit Investment, Account 366 Gross UG Conductors and Devices Investment, Account 367 Gross Services Conduit Investment, Account 369 Total Gross Plant, electric	! ( !	A B C D	4,202,265,007 6,326,633,345 827,933,301 27,084,686,261 3,966,503,484	PSC Annual Report, p. 207, line 66, col g PSC Annual Report, p. 207, line 67, col g PowerPlant CPR PSC Annual Report, p. 200, line 8, col c Acct (281, 282, 283) - 190
Then:				
ADIT, conduit, Account 366	= (A / D) X E		615,414,136	
ADIT, UG Conductors and Devices, Account 367	= (B / D) X E		926,524,050	
ADIT, services, Account 369	= (C / D) X E	_	121,249,340 1,663,187,525	

### <u>Accumulated Depreciation</u> Accounts 366, 367, 369

				Information Source
Electric Plant				
Accumulated Depreciation, Plant		F	6,149,989,511	PSC Annual Report, p. 200, line 22, col c
Gross Plant Investment		G	27,084,686,261	PSC Annual Report, p. 200, line 8, col c
Plant Depreciation Ratio, overall	= (F / G)		0.23	
Conduit, Account 366				
Gross Conduit Investment		Н	4,202,265,007	PSC Annual Report, p. 207, line 66, col g
Plant Depreciation Ratio		1	0.23	
Accumulated Depreciation, Conduit	= (H X I)		954,188,115	
Underground Conductors and Devices, Account 367				
Gross UG Conductors and Devices Invest	ment	J	6,326,633,345	PSC Annual Report, p. 207, line 67, col g
Plant Depreciation Ratio		K	0.23	
Accumulated Depreciation	= (J X K)		1,436,558,221	
Services, Account 369				
Gross Services Conduit Investment		L	827,933,301	PowerPlant CPR
Plant Depreciation Ratio		M	0.23	

187,994,835

= (L X M)

### **BACKBONE / SPUR Carrying Charge**

Formula based on FCC "Reconsideration Order", Appendix F-2, adopted May 22, 2001

**PSC 366 Carrying Charge** 

A) Administrative Element = Total A&G / (Gross plant - Depreciation - ADIT)

#### Information Source

Total A&G 669,606,474 PSC Annual Report, p. 323, line 197, col b Gross Plant Investment, electric Accumulated Depreciation, plant 6,149,989,511 PSC Annual Report, p. 200, line 8, col c PSC Annual Report, p. 200, line 22, col c Acct (281, 282, 283) - 190

Administrative Element 3.95%

Maintenance Element	=		ount 594
	[(Book Cost 366+36	67+369) - (Depreciation	n 366+367+369) - (ADIT 366+367+369)]
Account 594		202,820,101	PSC Annual Report, p. 322, line 150 col b
Conduit Investment			
Book Cost, 366		4,202,265,007	PSC Annual Report, p. 207, line 66, col g
Book Cost, 367		6,326,633,345	PSC Annual Report, p. 207, line 67, col g
Book Cost, 369		827,933,301	PowerPlant CPR
		11,356,831,653	
Conduit Depreciation		, , ,	
Account 366		954,188,115	Schedule 1, page 3 of 5
Account 367		1,436,558,221	Schedule 1, page 3 of 5
Account 369		187,994,835	Schedule 1, page 3 of 5
		2,578,741,170	
ADIT 366		615,414,136	Schedule 1, page 3 of 5
ADIT 367		926,524,050	Schedule 1, page 3 of 5
ADIT 369		121,249,340	Schedule 1, page 3 of 5
		1,663,187,525	
	Maintenance Element	2.85%	

### **C)** <u>Depreciation Element</u> = (<u>Gross Conduit Investmt, Acct. 366)</u> X Depreciation rate

Net Conduit Investment

Gross Conduit Investment, Acct. 366 4,202,265,007 PSC Annual Report, p. 207, line 66, col g

Net Conduit Investment 2,632,662,757 Schedule 1, page 2 of 5

Depreciation Rate 1.81%

#### Depreciation Element 2.89%

D) <u>Taxes Element</u>	<u>= (Account 408.1 + 409.1 + 410.1 + 411.4 - 411.1)</u> (Gross Plant Inv - Depreciation - ADIT)	
Account 408.1 Account 409.1	1,624,400,298 PSC Annual Report, p. 115, line 14, col g 81,447,263	
Account 410.1 Account 411.4	2,889,159,548 PSC Annual Report, p. 115, line 17, col g (2,888,422) PSC Annual Report, p. 115, line 19, col g	
Account 411.1 Gross Plant Inv Depreciation, Electric Plant ADIT	2,456,339,439 PSC Annual Report, p. 115, line 18, col g 27,084,686,261 PSC Annual Report, p. 200, line 8, col c 6,149,989,511 PSC Annual Report, p. 200, line 22, col c 3,966,503,484	
	Taxes Element 12.59%	

#### Taxes Element 12.599

#### E) Rate of Return Element 11.25% FCC default

Carrying Charge Rate (A+B+C+D+E) 33.52%

Received: 08/01/2018

# Consolidated Edison Company of New York, Inc. Rider X Schedule 1 Page 5 of 5

## **Innerduct Footage, Account 366**

Accounts 6096 & 6994 Duct size diameter	< 3"	3" - 3.5"	4" - 4.5"	5"+	Total System Footage	
Footage	474,630	25,334,812	89,844,874	18,532,273	134,186,589	
Number of innerduct	1	2	3	4		
Total Footage of Innerduct	474,630	50,669,624	269,534,622	74,129,092	394,807,968 Total Footage of Innerdu	
					Backbone / Spur System	1

2.94 Innerduct per duct, current weighted average

					current weighted average
Account 6096	Footage less than 3"	3 - 3.5	4" - 4.5"	5"+	
	461,911	11,216,564	64,517,036	10,917,289	
Sub-total	461,911	11,216,564	64,517,036	10,917,289	87,112,800
Account 6994	Footage less than 3"	3 - 3.5	4" - 4.5"	5"+	
Account 6394	12,719	14,118,248	25,327,838	7,614,984	
Sub-total	12,719	14,118,248	25,327,838	7,614,984	47,073,789
Total					134,186,589

#### Schedule 2 Page 1 of 4

# Consolidated Edison Company of New York, Inc. Rider X

### **Service Lateral Rental Rate Calculation**

Rate = (1 / number of innerduct per duct) X (Net Service Investment / Total Service Footage) X Carrying Charge

Note: The weighted average number of innerduct per service duct is

1.91 from Schedule 2, page 3 of 4

Where;

		_
Intorm	ation	Source
	auon	Source

Net Service Investment	(A)	518,689,127		Schedule 2, page 2 of 4
Carrying Charge	(B)	35.63%		Schedule 2, page 4 of 4
Total footage of duct	(C)	18,571,604		Acct. 369, PowerPlant CPR , Acct 369200
Rate per Foot of Service L	₋ateral	= ( A / C )	X B X 1 / 1.91	Schedule 2, page 3 of 4
Rate per Foot of Service L	_ateral	\$	5.21	Annual Rate

Received: 08/01/2018

# Consolidated Edison Company of New York, Inc. Rider X

Schedule 2 Page 2 of 4

# **Net Service Investment Calculation**

Where;

Net Service Conduit Investment = (Gross Service Investment, Acct. 369) - (Accum. Service Depreciation) - (ADIT, services)

Book Cost, Acct. 369 \$ 827,933,301 PowerPlant CPR

Less Depreciation 369 \$ 187,994,835 Schedule 1, page 3 of 5

Less ADIT (services) \$\frac{121,249,340}{}\$ Schedule 1, page 3 of 5

Net Service Conduit Investment \$518,689,127

Schedule 2 Page 3 of 4

# **Service Laterals- Average Weighted Innerduct per Duct**

Acct. 369

Based on Data From PowerPlant CPR and PowerPlant Equipment ledger Year-end 2016

<u>Diameter</u>	No. Srvcs	<u>Feet</u>	<u>Innerduct</u>	Innerduct feet
1	4	101	0	-
1.5	1,951	59,861	0	-
2	218,935	8,155,000	1	8,155,000
2.5	19,805	701,075	1	701,075
3	87,517	2,349,269	2	4,698,538
3.5	3,952	122,508	2	245,016
4	171,319	7,026,350	3	21,079,050
4.5	13	445	3	1,335
5	2,264	155,667	4	622,668
6	<u>4</u>	<u>1,328</u>	5	6,640
	505,764	18,571,604		35,509,322

Total Innerduct Footage 35,509,322
Total Service Footage 18,571,604
Average Innerduct per Service Duct **1.91** 

Received: 08/01/2018

# Consolidated Edison Company of New York, Inc. Service Lateral Carrying Charge Rider X

Schedule 2 Page 4 of 4

Account 369

A)	Administrative Element

Same as Backbone/Spur 3.95% Schedule 1, page 4 of 5

B) Maintenance Element

Same as Backbone/Spur 2.85% Schedule 1, page 4 of 5

C) <u>Depreciation Element</u> = (Gross Service Investment, 369) X Depreciation Rate

Net Service Investment, 369

	Information Source
--	--------------------

Gross Service Conduit Investment, 369 827,933,301 PowerPlant CPR

Net Service Conduit Investment 518,689,127 Schedule 2, page 2 of 4

Depreciation rate, services 3.13%

5.00%

D) Taxes Element

Same as Backbone/Spur 12.59% Schedule 1, page 4 of 5

E) Rate of Return Element

11.25% Schedule 1, page 4 of 5 , FCC Default

Carrying Charge Rate (A+B+C+D+E) 35.63%

Page 1 of 1

\$2,192

# Rider X

Calculation of Rates Effective September 1, 2018

### **Calculation of Rental Rate for Use of Innerduct**

### **Electric Underground Facilities**

Number of Manhole Uses

Rental Rate, \$ / manhole use / year (u / v)

а	Rental Rate (\$/ft of innerduct)	\$2.2371
b	Innerduct Footage in existing duct	<u>529,796</u>
С	Revenue Requirement, Electric Underground Facilities (a * b)	\$1,185,207
	Telecommunications Underground Facilities	
d	Innerduct Footage	105,382
	Calculation of Levelized Charge	
е	Telecommunications Underground Facilities Costs	\$930,286
f	Levelized Carrying Charge	18.02%
g	Levelized Charge (e * f)	\$167,638
	Calculation of 10% Charge on Original Book Cost	
h	Original Book Cost	\$14,312,606
i	10% Charge (h * 10%)	1,431,261
j	Revenue Requirement, Telecom Underground Facilities (g + i)	\$1,598,899
	Calculation of Rental Rate for Use of Innerduct	
k	Total Revenue Requirement (c+j)	\$2,784,106
1	Footage of Innerduct in use or reserved in Electric (b)	529,796
m	Footage of Telecom Underground Facilities (d)	105,382
n	Total Footage (I + m)	635,178
0	Rental Rate for Use of Innerduct ( k / n ), \$ Per Innerduct Foot Per Year	\$4.3832
Calcula	tion of Rental Rate for Telecom Manholes	
	Calculation of Levelized Charge	
р	Telecom Underground Facilities Costs, with Adders	\$0
q	Levelized Carrying Charge	18.02%
r	Levelized Charge (p*q)	\$0
		,,
	Calculation of 10% Charge on Original Book Cost	<b>40.005 -3</b> :
S	Original Book Cost	\$9,295,794
t	10% Charge (s * 10%)	929,579
u	Rev Requirement, Telecom Manholes (r + t)	\$929,579

# **Tunnel Rate Calculations**

Formula = (Revenue Requiremt of Unusable Space) + ((25% of Book Cost - Revenue Requiremt of Unusable Space) X Area of Innerduct w/ hanger)

Number of Users

Usable Area

		Tunnel Crossings				
			Α		В	С
Book Cost, Year-End 2016	а	\$	6,648,133	\$	16,827,366	\$ 9,505,110
25% Carrying Charge = a X 0.25	b	\$	1,662,033	\$	4,206,842	\$ 2,376,278
Shaft Diameter, feet	С		10		26	18
Total Area sq footage = 3.14 X (c/2)2 Usable Area = d - f Common Area, See p. 2 of 2 Percent Unusable Area = f / d	d e f g		78.5 31.6 46.9 59.7%		530.7 227.4 303.3 57.2%	254.3 75.1 179.2 70.5%
Revenue Requirement of Usable Area = b - j Cost per Sq. Ft., Usable Area = h / e	h i	\$	669,577 21,172	\$ \$	1,802,303 7,927	\$ 701,764 9,344
Revenue Requirement of Unusable Area = b X g	j	\$	992,456	\$	2,404,539	\$ 1,674,514
Area of innerduct with hanger, 2" x 2" space	k		0.03		0.03	0.03
Cost per innerduct = i X k	ı	\$	635	\$	238	\$ 280
Total Cost per innerduct or cable $= (j/m) + I$						
Number of Users*						
5	m		\$199,126			
5	m				\$481,146	
6	m					\$279,366

<sup>\*</sup> Con Edison electric is considered a separate user for each transmission voltage in a tunnel. Con Edison Gas, Steam and communication are each considered separate users. Each Telecom innerduct/cable is considered a user.

### Schedule 4 Page 2 of 2

# **Tunnel Rate Calculations**

### **UNUSABLE SPACE CALCULATION**

# **Tunnel Crossing A**

			Total Area
Diameter	10.17	ft	
Total Area	78.5	sq-ft	78.5
Unusable/common spa	ace items in sl	<u>naft</u>	
Elevator	(5 x 2.5)/2		6.3
Landing	25% of shaft	inclusive of 1/2 elev & Maint riser	19.6
I beams	.67 x 27ft		18
Ladder	1.5 x 2		3
Maintenan	ce riser	0	0
		unusable/common space	46.9

#### **Tunnel Crossing B**

Turnier Grossing D			Total Area
Dia	26 ft		
Total Area	530.7 s	q-ft	530.7 sq-ft
Unusable/common spa	ace items in sha	<u>ft</u>	•
Elevator	8.125 x 3.25		0.0 sq-ft
Landing	4.875 x 19.5 in	clusive of elevator	95.1 sq-ft
I beams	$(.83 \times 68.25) + ($	(.5 x 51.2)	82.485 sq-ft
Ladder	1.5 x 2		3 sq-ft
Maintenand	ce riser		122.8 sq-ft
		unusable/common space	303.3

# **Tunnel Crossing C**

			I otal Area
Dia	18	ft	
Total Area	254.34	sq-ft	254.34 sq-ft
Unusable/common sp	ace items in sh	<u>naft</u>	
Elevator	0		0 sq-ft
Landing	6.25 x 20	inclusive of elevator & Maint riser	125 sq-ft
I beams	$(.67 \times 69.3) +$	(.5 x 10)	51.2 sq-ft
Ladder	1.5 x 2		3 sq-ft
Maintenan	ce riser	0	0 sq-ft
		unusable/common space	179.2

Schedule 5 Page 1 of 1

# **River Crossings**

# River Crossing, D

Annual Rate	\$4,643	F = (C/D)*E
Carrying Charge	25.00%	E
Number of Innerduct	5	D
Average cost per duct	\$92,851	C = (A / B)
Number of duct	7	В
Original book cost	649,959	Α

# River Crossing, E

Original book cost	80,147	Α
Number of duct	2	В
Average cost per duct	\$40,073	C = (A / B)
Number of Innerduct	7	D
Carrying Charge	25.00%	E
Annual Rate	\$1,431	F = (C/D)*E

### Schedule 6 Page 1 of 1

# Consolidated Edison Company of New York, Inc. Rider X

# **Manhole POE to Enter/Exit Company Facilities**

Formula <u>= (Carrying Chg. of an Elec. MH) x (Avg. Original Bk. Cost of an Elec. MH)</u> (Avg. No. of POE's in an Elec. MH)

		Formula	
Average Original Book Cost of Electric Manhole	а		\$5,714
Carrying Charge of an Electric Manhole	b		25%
Average Number of POE's in an Electric Manhole	С		16
Rate		(a X b)/c	\$89.2813

#### Rider X

### **Transmission Tower Attachments**

Formula = (Book Cost, facility) X (Number of Pot. Telecom Attachments per Tower) X (Carrying Charge)

Total Potential Attachments per Tower

### "K" Line

Book Cost, entire facility- towers and fixtures only	а		\$31,612,434
Potential Number of Telecom Attachments (used) per Tower	b		1
Carrying Charge	С		25.00%
Total Potential Attachments* per Tower	d		16
Rate, entire facility	е	(a x b xc)/d	\$493,944.28
Number of Towers	f		378
Rate/Tower	g	g = (e/f)	\$1,306.73
Usable Space Factor	h		80.00%
Attachment/Tower	i	i = g * h	\$1,045

### "E" Line

Book Cost, entire facility- towers and fixtures only	а		\$15,292,660
Potential Number of Telecom Attachments (used) per Tower	b		1
Carrying Charge	С		25.00%
Total Potential Attachments* per Tower	d		16
Rate, entire facility	е	(a x b xc)/d	\$238,947.81
Number of Towers	f		144
Rate/Tower	g	g = (e / f)	\$1,659.36
Usable Space Factor	h		80.00%
Attachment/Tower	i	i = g * h	\$1,327

* 16 Total Potential Attachments	2 pair of 3 phase co	<u>6</u>	
	2 Circuits	X 2	12
	2 Static lines		<u>2</u>
			14
	Potential Telecom A	ttachments	<u>2</u>
	Total Potential Attac	hments	16

Schedule 8 Page 1 of 1

# **Rights-of-Way**

Findings based on Real Estate Appraisal study of February 27, 1997 with 3% annual escalation

Aerial:	\$0.8850	per foot	1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017	0.4900 0.5047 0.5198 0.5354 0.5515 0.5680 0.5851 0.6026 0.6207 0.6393 0.6585 0.6783 0.6986 0.7196 0.7412 0.7634 0.7863 0.8099 0.8342 0.8592	1.03
			2018	0.8850	
Underground:	\$1.8061	per foot	1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018	1.0000 1.0300 1.0609 1.0927 1.1255 1.1593 1.1941 1.2299 1.2668 1.3048 1.3439 1.3842 1.4258 1.4685 1.5126 1.5580 1.6047 1.6528 1.7024 1.7535 1.8061	1.03

Schedule 9 Page 1 of 1

### Rider X

# **Calculation of Average Cost of a Telecom Manhole**

Manhole Construction Costs Through May 2003 (incl adders)	\$9,100,368
Manhole Costs June through October 2003	51,660
Telergy Manholes Occupied by CEC through Oct. 2003	531,505
Manhole Costs Nov. 2003 through Jan. 2004	51,656
Subtotal	\$9,735,189
Customer Contributions to Manhole Depreciation	(1,330,196)
Manhole Costs Net of Depreciation Recoveries	\$8,404,993
CIAC Tax	1,284,332
Manhole Cost Including CIAC	\$9,689,325
Add Back Depreciation Recoveries	1,330,196
Subtotal	\$11,019,521
Manhole Costs Feb. 2004 - June 2004	\$74,800
Manhole Costs July 2004 - June 2005	\$41,379
Manhole Costs July 2005 - June 2006	\$104,669
Manhole Costs July 2006 - June 2007	\$30,716
Manhole Costs July 2007 - June 2008	\$0
Manhole Costs July 2008 - June 2009	\$0
Manhole Costs July 2009 - June 2010	\$0
Manhole Costs July 2010 - June 2011	\$60,987
Manhole Costs July 2011 - June 2012	\$95,344
Manhole Costs July 2012 - June 2013	\$0
Manhole Costs July 2013 - June 2014	\$152,433
Manhole Costs July 2014 - June 2015	\$0
Manhole Costs July 2015 - June 2016	0
Manhole Costs July 2016 - June 2017	0
Manhole Costs July 2017 - June 2018	0
Total Manhole Costs	\$11,579,848
Number of Telecom Manholes	285
Average Cost Per Telecom Manhole	\$40,631

Schedule 10 Page 1 of 1

# **Unused Telecom Manhole Average Cost**

	Number of Manholes	Total Costs	Average Cost Per Manhole	
Telergy Manholes	83	\$2,925,641	\$35,249	