

Consolidated Edison Company of New York, Inc.

Rider X - Workpapers

Table of Contents

Schedule 1	Electric Underground Facilities Rental Rate Calculation	5 pages
Schedule 2	Service Lateral Rental Rate Calculation	4 pages
Schedule 3	Innerduct/Telecom Manhole Use Rental Rate Calculation	1 page
Schedule 4	Tunnel Rental Rate Calculation	2 pages
Schedule 5	River Crossing Rental Rate Calculation	1 page
Schedule 6	Manhole Point of Entry / Exit Rental Rate Calculation	1 page
Schedule 7	Transmission Tower Attachment Rental Rate Calculation	1 page
Schedule 8	Rights-of-Way Calculation	1 page
Schedule 9	Telecommunications Manhole Average Cost Calculation	1 page
Schedule 10	Unused Telecom Manhole Average Cost Calculation	1 page

Consolidated Edison Company of New York, Inc.
Rider X

Schedule 1
Page 1 of 5

Backbone/Spur Route Rate Calculation

Formula based on FCC "Reconsideration Order", Appendix F-2, adopted May 22, 2001

Rate = (1 / number of innerduct) X (Net Conduit Investment / Total System Conduit Footage) X Carrying Charge

Where;

Information Source

Net Conduit Investment	(A)	2,891,515,717	Schedule 1, page 2 of 5
Carrying Charge	(B)	30.44%	Schedule 1, page 4 of 5
Total System Conduit Footage	(C)	134,556,515	Schedule 1, page 5 of 5
Rate per Foot of Innerduct (Existing Conduit)	= (1 / Number of Innerducts) X (A / C) X B		
Average Innerduct per Duct		2.94	Schedule 1, page 5 of 5
Rate per Foot of Innerduct (Existing Conduit)		\$2.2251	Annual Rate

Consolidated Edison Company of New York, Inc.
Rider X

Schedule 1
Page 2 of 5

Net Conduit Investment Calculation

		<u>Information Source</u>
Gross Conduit Investment, Acct. 366	\$ 4,601,409,849	PSC Annual Report, p. 207, line 66, col g
Less Accumulated Depreciation, Acct. 366	1,039,520,852	Schedule 1, page 3 of 5
Less ADIT, Conduit	<u>670,373,280</u>	Schedule 1, page 3 of 5
Net Conduit Investment	\$ 2,891,515,717	

Consolidated Edison Company of New York, Inc.
Rider X

Schedule 1
Page 3 of 5

ADIT & Accumulated Depreciation

Formula based on FCC "Reconsideration Order", Appendix F-2, adopted May 22, 2001

ADIT**Accounts 366, 367, 369**

ADIT (366, 367, 369) = [Gross Conduit Investment (Account 366, 367, or 369) / Total Gross Plant (electric)] X (Total ADIT Account 190, electric)

Given:

			<u>Information Source</u>
Gross Conduit Investment, Account 366	A	4,601,409,849	PSC Annual Report, p. 207, line 66, col g
Gross UG Conductors and Devices Investment, Account 367	B	6,921,323,566	PSC Annual Report, p. 207, line 67, col g
Gross Services Conduit Investment, Account 369	C	882,729,953	PowerPlant CPR
Total Gross Plant, electric	D	30,303,383,270	PSC Annual Report, p. 200, line 8, col c
	E	4,414,859,598	Acct (281, 282, 283) - 190

Then:

ADIT, conduit, Account 366	= (A / D) X E	670,373,280
ADIT, UG Conductors and Devices, Account 367	= (B / D) X E	1,008,358,423
ADIT, services, Account 369	= (C / D) X E	<u>128,603,753</u>
		1,807,335,456

Accumulated Depreciation**Accounts 366, 367, 369**

			<u>Information Source</u>
Electric Plant			
Accumulated Depreciation, Plant	F	6,845,945,013	PSC Annual Report, p. 200, line 22, col c
Gross Plant Investment	G	30,303,383,270	PSC Annual Report, p. 200, line 8, col c
Plant Depreciation Ratio, overall	= (F / G)	0.23	
Conduit, Account 366			
Gross Conduit Investment	H	4,601,409,849	PSC Annual Report, p. 207, line 66, col g
Plant Depreciation Ratio	I	<u>0.23</u>	
Accumulated Depreciation, Conduit	= (H X I)	1,039,520,852	
Underground Conductors and Devices, Account 367			
Gross UG Conductors and Devices Investment	J	6,921,323,566	PSC Annual Report, p. 207, line 67, col g
Plant Depreciation Ratio	K	<u>0.23</u>	
Accumulated Depreciation	= (J X K)	1,563,620,805	
Services, Account 369			
Gross Services Conduit Investment	L	882,729,953	PowerPlant CPR
Plant Depreciation Ratio	M	<u>0.23</u>	
Accumulated Depreciation, services	= (L X M)	199,420,661	

BACKBONE / SPUR Carrying Charge

Formula based on FCC "Reconsideration Order", Appendix F-2, adopted May 22, 2001

PSC 366 Carrying Charge**A) Administrative Element** = Total A&G / (Gross plant - Depreciation - ADIT)Information Source

Total A&G	648,737,757	PSC Annual Report, p. 323, line 197, col b
Gross Plant Investment, electric	30,303,383,270	PSC Annual Report, p. 200, line 8, col c
Accumulated Depreciation, plant	6,845,945,013	PSC Annual Report, p. 200, line 22, col c
	4,414,859,598	Acct (281, 282, 283) - 190

Administrative Element **3.41%**

B) Maintenance Element = $\frac{\text{Account 594}}{[(\text{Book Cost } 366+367+369) - (\text{Depreciation } 366+367+369) - (\text{ADIT } 366+367+369)]}$

Account 594	190,192,054	PSC Annual Report, p. 322, line 150 col b
Conduit Investment		
Book Cost, 366	4,601,409,849	PSC Annual Report, p. 207, line 66, col g
Book Cost, 367	6,921,323,566	PSC Annual Report, p. 207, line 67, col g
Book Cost, 369	882,729,953	PowerPlant CPR
	<u>12,405,463,368</u>	
Conduit Depreciation		
Account 366	1,039,520,852	Schedule 1, page 3 of 5
Account 367	1,563,620,805	Schedule 1, page 3 of 5
Account 369	<u>199,420,661</u>	Schedule 1, page 3 of 5
	2,802,562,319	
ADIT 366	670,373,280	Schedule 1, page 3 of 5
ADIT 367	1,008,358,423	Schedule 1, page 3 of 5
ADIT 369	<u>128,603,753</u>	Schedule 1, page 3 of 5
	1,807,335,456	

Maintenance Element **2.44%**

C) Depreciation Element = $\frac{(\text{Gross Conduit Investmt, Acct. 366}) \times \text{Depreciation rate}}{\text{Net Conduit Investment}}$

Gross Conduit Investment, Acct. 366	4,601,409,849	PSC Annual Report, p. 207, line 66, col g
Net Conduit Investment	2,891,515,717	Schedule 1, page 2 of 5
Depreciation Rate	1.76%	

Depreciation Element **2.80%**

D) Taxes Element = $\frac{(\text{Account } 408.1 + 409.1 + 410.1 + 411.4 - 411.1)}{(\text{Gross Plant Inv} - \text{Depreciation} - \text{ADIT})}$

Account 408.1	1,769,250,406	PSC Annual Report, p. 115, line 14, col g
Account 409.1	170,580,014	
Account 410.1	1,755,406,761	PSC Annual Report, p. 115, line 17, col g
Account 411.4	(2,082,421)	PSC Annual Report, p. 115, line 19, col g
Account 411.1	1,684,988,781	PSC Annual Report, p. 115, line 18, col g
Gross Plant Inv	30,303,383,270	PSC Annual Report, p. 200, line 8, col c
Depreciation, Electric Plant	6,845,945,013	PSC Annual Report, p. 200, line 22, col c
ADIT	4,414,859,598	

Taxes Element **10.55%**

E) Rate of Return Element **11.25%** FCC default

Carrying Charge Rate **(A+B+C+D+E)** **30.44%**

Consolidated Edison Company of New York, Inc.
Rider X

Innerduct Footage, Account 366

Accounts 6096 & 6994

Duct size diameter

Footage

Number of innerduct

Total Footage of Innerduct

< 3"	3" - 3.5"	4" - 4.5"	5"+	Total System Footage
477,583	25,334,412	90,143,156	18,601,364	134,556,515
1	2	3	4	
477,583	50,668,824	270,429,468	74,405,456	395,981,331

**Total Footage of Innerduct for
Backbone / Spur System**

2.94 Innerduct per duct,
current weighted average

<u>Account 6096</u>	Footage less than 3"	3 - 3.5	4" - 4.5"	5"+	
	464,864	11,216,564	64,839,643	10,986,920	
Sub-total	464,864	11,216,564	64,839,643	10,986,920	87,507,991
<u>Account 6994</u>	Footage less than 3"	3 - 3.5	4" - 4.5"	5"+	
	12,719	14,117,848	25,303,513	7,614,444	
Sub-total	12,719	14,117,848	25,303,513	7,614,444	47,048,524
Total					134,556,515

Consolidated Edison Company of New York, Inc.
Rider X

Schedule 2
Page 1 of 4

Service Lateral Rental Rate Calculation

Rate = (1 / number of innerduct per duct) X (Net Service Investment / Total Service Footage) X Carrying Charge

Note: The weighted average number of innerduct per service duct is **1.91** from Schedule 2, page 3 of 4

Where;

			<u>Information Source</u>
Net Service Investment	(A)	554,705,539	Schedule 2, page 2 of 4
Carrying Charge	(B)	32.94%	Schedule 2, page 4 of 4
Total footage of duct	(C)	18,746,919	Acct. 369, PowerPlant CPR , Acct 369200
Rate per Foot of Service Lateral	= (A / C) X B X 1 / 1.91		Schedule 2, page 3 of 4
Rate per Foot of Service Lateral	\$	5.10	Annual Rate

Consolidated Edison Company of New York, Inc.
Rider X

Schedule 2
Page 2 of 4

Net Service Investment Calculation

Where;

Net Service Conduit Investment = (Gross Service Investment, Acct. 369) - (Accum. Service Depreciation) - (ADIT, services)

Book Cost, Acct. 369	\$ 882,729,953	PowerPlant CPR
Less Depreciation 369	\$ 199,420,661	Schedule 1, page 3 of 5
Less ADIT (services)	<u>\$ 128,603,753</u>	Schedule 1, page 3 of 5
Net Service Conduit Investment	\$554,705,539	

Consolidated Edison Company of New York, Inc.
Rider X

Schedule 2
Page 3 of 4

Service Laterals- Average Weighted Innerduct per Duct

Acct. 369

Based on Data From PowerPlant CPR and PowerPlant Equipment ledger Year-end 2019

<u>Diameter</u>	<u>No. Svcs</u>	<u>Feet</u>	<u>Innerduct</u>	<u>Innerduct feet</u>
1	4	101	0	-
1.5	1,951	59,861	0	-
2	236,354	8,274,408	1	8,274,408
2.5	19,806	701,083	1	701,083
3	87,573	2,349,134	2	4,698,268
3.5	3,952	122,508	2	245,016
4	219,499	7,082,172	3	21,246,516
4.5	13	445	3	1,335
5	4,031	155,879	4	623,516
6	4	1,328	5	6,640
	573,187	18,746,919		35,796,782

Total Innerduct Footage	35,796,782
Total Service Footage	18,746,919
Average Innerduct per Service Duct	1.91

Consolidated Edison Company of New York, Inc.

Schedule 2

Service Lateral Carrying Charge Rider X

Page 4 of 4

Account 369**A) Administrative Element**

Same as Backbone/Spur	3.41%	Schedule 1, page 4 of 5
-----------------------	--------------	-------------------------

B) Maintenance Element

Same as Backbone/Spur	2.44%	Schedule 1, page 4 of 5
-----------------------	--------------	-------------------------

C) Depreciation Element = $\frac{(\text{Gross Service Investment, 369}) \times \text{Depreciation Rate}}{\text{Net Service Investment, 369}}$
Information Source

Gross Service Conduit Investment, 369	882,729,953	PowerPlant CPR
Net Service Conduit Investment	554,705,539	Schedule 2, page 2 of 4
Depreciation rate, services	3.33%	
	5.30%	

D) Taxes Element

Same as Backbone/Spur	10.55%	Schedule 1, page 4 of 5
-----------------------	---------------	-------------------------

E) Rate of Return Element

11.25%	Schedule 1, page 4 of 5 , FCC Default
---------------	---------------------------------------

<u>Carrying Charge Rate</u>	(A+B+C+D+E)	32.94%
------------------------------------	-------------	---------------

Consolidated Edison Company of New York, Inc.**Rider X****Calculation of Rates Effective September 1, 2020****Calculation of Rental Rate for Use of Innerduct****Electric Underground Facilities**

a	Rental Rate (\$/ft of innerduct)	\$2.2251
b	Innerduct Footage in existing duct	<u>528,161</u>
c	Revenue Requirement, Electric Underground Facilities (a * b)	\$1,175,211

Telecommunications Underground Facilities

d	Innerduct Footage	<u>105,382</u>
<u>Calculation of Levelized Charge</u>		
e	Telecommunications Underground Facilities Costs	<u>\$844,719</u>
f	Levelized Carrying Charge	18.02%
g	Levelized Charge (e * f)	\$152,218
<u>Calculation of 10% Charge on Original Book Cost</u>		
h	Original Book Cost	<u>\$14,312,606</u>
i	10% Charge (h * 10%)	1,431,261
j	Revenue Requirement, Telecom Underground Facilities (g + i)	\$1,583,479

Calculation of Rental Rate for Use of Innerduct

k	Total Revenue Requirement (c + j)	\$2,758,690
l	Footage of Innerduct in use or reserved in Electric (b)	528,161
m	Footage of Telecom Underground Facilities (d)	<u>105,382</u>
n	Total Footage (l + m)	633,543
o	Rental Rate for Use of Innerduct (k / n), \$ Per Innerduct Foot Per Year	\$4.3544

Calculation of Rental Rate for Telecom Manholes**Calculation of Levelized Charge**

p	Telecom Underground Facilities Costs, with Adders	\$0
q	Levelized Carrying Charge	18.02%
r	Levelized Charge (p * q)	\$0

Calculation of 10% Charge on Original Book Cost

s	Original Book Cost	<u>\$9,295,794</u>
t	10% Charge (s * 10%)	929,579
u	Rev Requirement, Telecom Manholes (r + t)	\$929,579
v	Number of Manhole Uses	<u>424</u>
w	Rental Rate, \$ / manhole use / year (u / v)	\$2,192

Tunnel Rate Calculations

Formula = $\frac{(\text{Revenue Requirement of Unusable Space})}{\text{Number of Users}} + \frac{((25\% \text{ of Book Cost} - \text{Revenue Requirement of Unusable Space}) \times \text{Area of Innerduct w/ hanger})}{\text{Usable Area}}$

Tunnel Crossings			
	A	B	C
Book Cost, Year-End 2019	a \$ 6,862,538	\$ 17,137,155	\$ 9,505,110
25% Carrying Charge = a X 0.25	b \$ 1,715,635	\$ 4,284,289	\$ 2,376,277
Shaft Diameter, feet	c 10	26	18
Total Area sq footage = $3.14 \times (c / 2)^2$	d 78.5	530.7	254.3
Usable Area = d - f	e 31.6	227.4	75.1
Common Area, See p. 2 of 2	f 46.9	303.3	179.2
Percent Unusable Area = f / d	g 59.7%	57.2%	70.5%
Revenue Requirement of Usable Area = b - j	h \$ 691,171	\$ 1,835,483	\$ 701,763
Cost per Sq. Ft., Usable Area = h / e	i \$ 21,855	\$ 8,073	\$ 9,344
Revenue Requirement of Unusable Area = b X g	j \$ 1,024,464	\$ 2,448,806	\$ 1,674,514
Area of innerduct with hanger, 2" x 2" space	k 0.03	0.03	0.03
Cost per innerduct = $i \times k$	l \$ 656	\$ 242	\$ 280
Total Cost per innerduct or cable = $(j / m) + l$			
Number of Users*			
5	m \$205,549		
5	m	\$490,003	
6	m		\$279,366

* Con Edison electric is considered a separate user for each transmission voltage in a tunnel.
Con Edison Gas, Steam and communication are each considered separate users.
Each Telecom innerduct/cable is considered a user.

Tunnel Rate Calculations**UNUSABLE SPACE CALCULATION****Tunnel Crossing A**

			Total Area
Diameter	10.17 ft		
Total Area	78.5 sq-ft		78.5
<u>Unusable/common space items in shaft</u>			
Elevator	(5 x 2.5)/2		6.3
Landing	25% of shaft	inclusive of 1/2 elev & Maint riser	19.6
I beams	.67 x 27ft		18
Ladder	1.5 x 2		3
Maintenance riser	0		0
		unusable/common space	<u>46.9</u>

Tunnel Crossing B

			Total Area
Dia	26 ft		
Total Area	530.7 sq-ft		530.7 sq-ft
<u>Unusable/common space items in shaft</u>			
Elevator	8.125 x 3.25		0.0 sq-ft
Landing	4.875 x 19.5	inclusive of elevator	95.1 sq-ft
I beams	(.83 x 68.25) + (.5 x 51.2)		82.485 sq-ft
Ladder	1.5 x 2		3 sq-ft
Maintenance riser			122.8 sq-ft
		unusable/common space	<u>303.3</u>

Tunnel Crossing C

			Total Area
Dia	18 ft		
Total Area	254.34 sq-ft		254.34 sq-ft
<u>Unusable/common space items in shaft</u>			
Elevator	0		0 sq-ft
Landing	6.25 x 20	inclusive of elevator & Maint riser	125 sq-ft
I beams	(.67 x 69.3) + (.5 x 10)		51.2 sq-ft
Ladder	1.5 x 2		3 sq-ft
Maintenance riser	0		0 sq-ft
		unusable/common space	<u>179.2</u>

Consolidated Edison Company of New York, Inc.
Rider X

Schedule 5
Page 1 of 1

River Crossings

River Crossing, D

Original book cost	649,959	A
Number of duct	7	B
Average cost per duct	\$92,851	$C = (A / B)$
Number of Innerduct	5	D
Carrying Charge	25.00%	E
Annual Rate	\$4,643	$F = (C/D)*E$

River Crossing, E

Original book cost	80,147	A
Number of duct	2	B
Average cost per duct	\$40,073	$C = (A / B)$
Number of Innerduct	7	D
Carrying Charge	25.00%	E
Annual Rate	\$1,431	$F = (C/D)*E$

Consolidated Edison Company of New York, Inc.
Rider X

Manhole POE to Enter/Exit Company Facilities

Formula
$$= \frac{(\text{Carrying Chg. of an Elec. MH}) \times (\text{Avg. Original Bk. Cost of an Elec. MH})}{(\text{Avg. No. of POE's in an Elec. MH})}$$

		<u>Formula</u>	
Average Original Book Cost of Electric Manhole	a		\$5,842
Carrying Charge of an Electric Manhole	b		25%
Average Number of POE's in an Electric Manhole	c		16
Rate		(a X b)/c	\$91.2813

Consolidated Edison Company of New York, Inc.

Rider X

Transmission Tower Attachments

$$\text{Formula} = \frac{(\text{Book Cost, facility}) \times (\text{Number of Pot. Telecom Attachments per Tower}) \times (\text{Carrying Charge})}{\text{Total Potential Attachments per Tower}}$$

"K" Line

Book Cost, entire facility- towers and fixtures only	a		\$32,930,872
Potential Number of Telecom Attachments (used) per Tower	b		1
Carrying Charge	c		25.00%
Total Potential Attachments* per Tower	d		16
Rate, entire facility	e	(a x b x c)/d	\$514,544.88
Number of Towers	f		386
Rate/Tower	g	g = (e / f)	\$1,333.02
Usable Space Factor	h		80.00%
Attachment/Tower	i	i = g * h	\$1,066

"E" Line

Book Cost, entire facility- towers and fixtures only	a		\$15,549,237
Potential Number of Telecom Attachments (used) per Tower	b		1
Carrying Charge	c		25.00%
Total Potential Attachments* per Tower	d		16
Rate, entire facility	e	(a x b x c)/d	\$242,956.83
Number of Towers	f		144
Rate/Tower	g	g = (e / f)	\$1,687.20
Usable Space Factor	h		80.00%
Attachment/Tower	i	i = g * h	\$1,350

* 16 Total Potential Attachments

2 pair of 3 phase conductors
 2 Circuits X 2
 2 Static lines
 Potential Telecom Attachments
 Total Potential Attachments

[6](#)
 12
[2](#)
 14
[2](#)
16

Consolidated Edison Company of New York, Inc.
Rider X

Schedule 8
Page 1 of 1

Rights-of-Way

Findings based on Real Estate Appraisal study of February 27, 1997 with 3% annual escalation

Aerial:	\$0.9115 per foot	1998	0.4900	1.03
		1999	0.5047	
		2000	0.5198	
		2001	0.5354	
		2002	0.5515	
		2003	0.5680	
		2004	0.5851	
		2005	0.6026	
		2006	0.6207	
		2007	0.6393	
		2008	0.6585	
		2009	0.6783	
		2010	0.6986	
		2011	0.7196	
		2012	0.7412	
		2013	0.7634	
		2014	0.7863	
		2015	0.8099	
		2016	0.8342	
		2017	0.8592	
		2018	0.8850	
		2019	0.9115	
		2020	0.9389	
Underground:	\$1.8603 per foot	1998	1.0000	1.03
		1999	1.0300	
		2000	1.0609	
		2001	1.0927	
		2002	1.1255	
		2003	1.1593	
		2004	1.1941	
		2005	1.2299	
		2006	1.2668	
		2007	1.3048	
		2008	1.3439	
		2009	1.3842	
		2010	1.4258	
		2011	1.4685	
		2012	1.5126	
		2013	1.5580	
		2014	1.6047	
		2015	1.6528	
		2016	1.7024	
		2017	1.7535	
		2018	1.8061	
		2019	1.8603	
		2020	1.9161	

Consolidated Edison Company of New York, Inc.

Schedule 9

Rider X

Page 1 of 1

Calculation of Average Cost of a Telecom Manhole

Manhole Construction Costs Through May 2003 (incl adders)	\$9,100,368
Manhole Costs June through October 2003	51,660
Telergy Manholes Occupied by CEC through Oct. 2003	531,505
Manhole Costs Nov. 2003 through Jan. 2004	51,656
Subtotal	\$9,735,189
Customer Contributions to Manhole Depreciation	(1,330,196)
Manhole Costs Net of Depreciation Recoveries	\$8,404,993
CIAC Tax	1,284,332
Manhole Cost Including CIAC	\$9,689,325
Add Back Depreciation Recoveries	1,330,196
Subtotal	\$11,019,521
Manhole Costs Feb. 2004 - June 2004	\$74,800
Manhole Costs July 2004 - June 2005	\$41,379
Manhole Costs July 2005 - June 2006	\$104,669
Manhole Costs July 2006 - June 2007	\$30,716
Manhole Costs July 2007 - June 2008	\$0
Manhole Costs July 2008 - June 2009	\$0
Manhole Costs July 2009 - June 2010	\$0
Manhole Costs July 2010 - June 2011	\$60,987
Manhole Costs July 2011 - June 2012	\$95,344
Manhole Costs July 2012 - June 2013	\$0
Manhole Costs July 2013 - June 2014	\$152,433
Manhole Costs July 2014 - June 2015	\$0
Manhole Costs July 2015 - June 2016	0
Manhole Costs July 2016 - June 2017	0
Manhole Costs July 2017 - June 2018	0
Manhole Costs July 2018 - June 2019	0
Manhole Costs July 2019 - June 2020	0
Total Manhole Costs	\$11,579,848
Number of Telecom Manholes	285
Average Cost Per Telecom Manhole	\$40,631

Consolidated Edison Company of New York, Inc.
Rider X

Schedule 10
Page 1 of 1

Unused Telecom Manhole Average Cost

	Number of Manholes	Total Costs	Average Cost Per Manhole
Telergy Manholes	83	\$2,925,641	\$35,249