Status: EFFECTIVE Effective Date: 12/30/2000 Received: 12/03/2010

PSC NY No. 7--COMMUNICATIONS

Verizon New York Inc.

Section 5 Original Page 1

Limited Service Offerings

5.

LSO Reporting Withdrawn LSOs 5.1

5.1.1	Description
A.	Exhibit 5.1.1-1 identifies those LSOs withdrawn since the last quarterly report due to zero
	customers in-service quantities.

PSC NY No. 7--COMMUNICATIONS

Status: EFFECTIVE Effective Date: 12/30/2000

Verizon New York Inc.

Section 5 Original Page 2

Limited Service Offerings

5. LSO Reporting5.1 Withdrawn LSOs

5.1.1 De	scription
Exhibit 5.1.1-1 LSOs Withdrawn Since Last Quarterly Report	
LSO Code	Description
ZZBB6	Special Audible Signal
ZZBB7	Conference Plan - Centrex Cu or Co SXS
ZZBFC	Position Busy Lamps for Supervisor
ZZBJ8	Key to Transfer Incoming Calls to Lines Associated With Answering Sets
ZZBJN	Key to Deny Toll Access
ZZBM1	Tie Lines Centrex Lines Terminating at Another Location - #1 and #2 ESS
ZZBM5	Tie Lines Arrangement to Connect Centrex Lines to O.C.C.
ZZBMF	Overseas Tie Lines Arrangement
ZZBN7	Multiple Appearance of WATS, FX, Tie Line and Console Conference Plans
ZZBQ9	Station Dial Transfer - #101 ESS
ZZC6Y	DIMENSION – Uninterruptible Power Supply for E.C.T.S.
ZZCTA	Two Position Multiple Switchboard – (701)
ZZCU7	PBX – Switchboard Manual
ZZCV9	PBX – Switchboards Manual Lamps and Lamp Caps
ZZDA9	Model 40 Automatic Call Distributing System General
ZZDDA	Audible Signal on Call Waiting Lamp
ZZDOA	Special Foot Switch to Operate Station Equipment
ZZDS5	Station Key Equipment Hold Arrangements
ZZDU3	Special Keys to Reverse Ringing Current to Operate Lamps
ZZDWN	Loop Test Unit Associated With Radio Tie Line
ZZDX6	Lamp Signaling Equipment Indicating the Status of an Attendant or Executive Line

Status: EFFECTIVE Effective Date: 12/30/2000 Received: 12/03/2010

PSC NY No. 7--COMMUNICATIONS

Verizon New York Inc.

Section 5 **Original Page 3**

Limited Service Offerings

5.

LSO Reporting Withdrawn LSOs 5.1

5.1.1 De	5.1.1 Description	
	Exhibit 5.1.1-1 LSOs Withdrawn Since Last Quarterly Report	
LSO Code		
ZZEK8	Teletypewriter Copy Holder – Other	

Status: EFFECTIVE Effective Date: 12/30/2000

Verizon New York Inc.

Section 5 Original Page 4

Limited Service Offerings

5. LSO Reporting

5.2 LSOs/Special Assemblies Customer In-Service Quantities

5.2.1	KEP1P
A.	E911 PSAP Console— 1 customer in service

5.2.2	ZZBA1
A.	Non Standard Scan Points— 2 customers in service
В.	Non Standard Call Forwarding Arrangements—7 customers in service
C.	C.O. Voice Bridge— 1 customer in service
D.	Non Standard Group Intercom— 1 customer in service
E.	Separated All Trunks Busy— 1 customer in service
F.	Common Bell on E911—1 customer in service
G.	Combine DID Number on Combo Trunk— 1 customer in service
Н.	Maintain E911 Lines in MOC DATA BASE— 1 customer in service
I.	E911–Night Transfer Key— 2 customers in service

5.2.3	ZZBAD
A.	CFV-3 Additional Paths— 19 customers in service

5.2.4	ZZBAG
Α.	Additional on ESM
1.	1 Additional on ESM— 1 customer in service
2.	1 Additional Path on ESM—1 customer in service
3.	2 Additional on ESM— 1 customer in service
4.	4 Additional Paths on ESM— 16 customers in service
В.	Call Forwarding
1.	Call Forwarding Busy-99 Paths— 2 customers in service
2.	Call Forwarding Don't Answer— 1 customer in service
3.	Call Forwarding Variable— 3 customers in service
4.	Call Forwarding Variable–1 Path— 16 customers in service
5.	Call Forwarding Variable–2 Paths— 24 customers in service
6.	Call Forwarding Variable–4 Paths— 4 customers in service

Status: EFFECTIVE Effective Date: 12/30/2000

Verizon New York Inc.

Section 5
Original Page 5

Limited Service Offerings

5. LSO Reporting

5.2 LSOs/Special Assemblies Customer In-Service Quantities

5.2.4	ZZBAG
B.	(Continued)
7.	Call Forwarding Variable–5 Paths— 7 customers in service
8.	Call Forwarding Variable–6 Paths— 2 customers in service
9.	Call Forwarding Variable-7 Paths- 4 customers in service
10.	Call Forwarding Variable-8 Paths— 2 customers in service
11.	Call Forwarding Variable–10 Paths— 1 customer in service
12.	Call Forwarding Variable-14 Paths-1 customer in service
13.	Call Forwarding Variable-15 Paths-1 customer in service
14.	Call Forwarding Variable–20 Paths— 1 customer in service
15.	Call Forwarding Variable-Don't Answer-Expanded Parameters— 1 customer in service
16.	Call Forward Simultaneous Calls—2 customers in service
17.	Provide Call Forwarding Busy— 1 customer in service
18.	Provide Call Forwarding No Answer— 1 customer in service
C.	Convert DID to RCF— 4 customers in service
D.	Disaster Recovery— 3 customers in service
E.	Remote Call Forwarding
1.	Remote Call Forwarding— 6 customers in service
2.	Remote Call Forwarding-1 Path- 1 customer in service
F.	Separate Disaster Recoveries-Test— 1 customer in service
G.	Simultaneous Call Forward–3 Paths— 1 customer in service
H.	Break up DID Block for Caller ID— 1 customer in service
I.	Direct Numbers to ISDN PRI Service— 2 customers in service
J.	Convert DID Numbers to POTs—1 customer in service

5.2.5	ZZBAI
A.	1 Year Busy Study— 1 customer in service
B.	1 Year Traffic Study (Special Price)— 1 customer in service
C.	45 Minute Voice Mailbox Message— 1 customer in service

DOCANY NO. 7. COMMUNICATIONS

Section 5 Original Page 6

Status: EFFECTIVE Effective Date: 12/30/2000

Verizon New York Inc.

Limited Service Offerings

5. LSO Reporting

5.2 LSOs/Special Assemblies Customer In-Service Quantities

5.2.5	ZZBAI
D.	48 Overflow Calls Rerouted— 1 customer in service
E.	ACD Announcement Features— 1 customer in service
F.	Additional Paths for CFV—1 customer in service
G.	Alarms for Power Plant— 1 customer in service
H.	Bulk Calling Line Identification— 1 customer in service
I.	Call Forwarding Variable
1.	Call Forwarding Variable— 2 customers in service
2.	Call Forwarding Variable–2 Paths— 2 customers in service
3.	Call Forwarding Variable-3 Paths- 3 customers in service
4.	Call Forwarding Variable-4 Paths- 3 customers in service
J.	CFV–5 Simultaneous Calls— 12 customers in service
K.	Convert One Position to Supervisor— 1 customer in service
L.	Disaster Recovery— 1 customer in service
M.	ESM With 2 Additional Paths— 1 customer in service
N.	Hoot and Holler Service—1 customer in service
О.	Monthly Traffic Studies for 12 Months— 1 customer in service
P.	Multiple Call Forwarding— 1 customer in service
Q.	Program on Hold— 1 customer in service
R.	Provide 2 CAMA Trunks & 800 MOC Database— 1 customer in service
S.	Provide 4 Additional Paths on CFV Lines— 1 customer in service
T.	Remote Call Forwarding— 1 customer in service
U.	Route Advance— 1 customer in service
V.	Convert DID to POTs Lines— 3 customers in service
W.	Convert DID to Centrex Plus Lines—1 customer in service

5.2.6	ZZBAN
A.	Dial-up Data Port (with Intellipath II service)— 2 customers in service

Status: EFFECTIVE Effective Date: 12/30/2000

Verizon New York Inc.

Section 5 Original Page 7

Limited Service Offerings

5. LSO Reporting

5.2 LSOs/Special Assemblies Customer In-Service Quantities

5.2.7	ZZBAO
A.	Ongoing Monthly Traffic Study— 1 customer in service
B.	Call Forwarding Variable— 2 customers in service

5.2.8	ZZBAP
A.	Break of DID Block—1 customer in service
B.	Contour Service 1 customer in service
C.	Convert DID to RCF-3 Paths— 1 customer in service
D.	Convert DID Number to POTs with RCF— 12 customers in service
E.	Convert Trunk Group to RCF—1 customer in service
F.	Disaster Recovery— 5 customers in service
G.	Release Number to Another Customer— 1 customer in service
H.	Remove Number from DID Range— 5 customers in service

5.2.9	ZZBAR
A.	AC-Co. Announcement— 5 customers in service
B.	Direct Simultaneous Overflow Calls— 1 customer in service
C.	Disaster Recovery— 3 customers in service
D.	RCF Customized Announcement— 2 customers in service

5.2.10	ZZBAV
A.	Dual-tone Multi-frequency Capability for PBX-type Trunks and Central Office Lines—
	15 customers in service

5.2.11	ZZBB6
A.	Preset Conference Capability— 1 customer in service

5.2.12	ZZBBA
A.	Transfer of Calls Using CPE/Recorded Announcement— 4 customers in service

Status: EFFECTIVE Effective Date: 12/30/2000

Verizon New York Inc.

Section 5 Original Page 8

Limited Service Offerings

5. LSO Reporting

5.2 LSOs/Special Assemblies Customer In-Service Quantities

5.2.13	ZZBBJ
Α.	Disaster Recovery— 14 customers in service

5.2.14	ZZBBP
A.	Monthly Maintenance Contract— 1 customer in service

5.2.15	ZZBCC
A.	Custom System Administration Split Group— 2 customers in service

5.2.16	ZZBCF
A.	Global Announcement— 3 customers in service
B.	Customized Intercept Message— 1 customer in service
C.	Disaster Recovery— 1 customer in service
D.	Spare Ports on Customized Announcement— 1 customer in service

5.2.17	ZZBCP
A.	Digital T1 Termination in CPE Analog Centrex Equipment— 21 customers in service

5.2.18	ZZBDA
A.	Unrestricted Access Code on a Centrex— 1 customer in service

5.2.19	ZZBDF
A.	Global Recording— 1 customer in service

5.2.20	ZZBDI
A.	Message Waiting Tone Notification— 1 customer in service

5.2.21	ZZBDV
A.	Convert DID to RCF-2 Additional Paths— 2 customers in service

Status: EFFECTIVE Effective Date: 12/30/2000

Verizon New York Inc.

Section 5 Original Page 9

Limited Service Offerings

5. LSO Reporting

5.2 LSOs/Special Assemblies Customer In-Service Quantities

5.2.21	ZZBDV
B.	Disaster Recovery
1.	Disaster Recovery— 7 customers in service
2.	Disaster Recovery–5 Additional Paths— 1 customer in service

5.2.22	ZZBDW
A.	1 Year Traffic Study— 1 customer in service
B.	B8ZS & ESF
1.	B8ZS & ESF— 1 customer in service
2.	B8ZS & ESF Signaling— 1 customer in service
C.	Pseudo-Flexpath Service— 2 customers in service

5.2.23	ZZBDX
A.	5-digit Dialing Airport Service (associated with Intellipath II)— 4 customers in service
B.	Fiber Diversity— 1 customer in service
C.	Translation/Rearrangement— 1 customer in service

5.2.24	ZZBE3
A.	Caller ID on Private Facilities— 1 customer in service

5.2.25	ZZBEC
A.	Asynchronous Ports on Remote Switch— 2 customers in service

5.2.26	ZZBHH
A.	Integration of Customer's Voice Mail— 1 customer in service

5.2.27	ZZBJ1
A.	Cascading Announcement— 1 customer in service
B.	Customized Announcement–Disaster Recovery— 1 customer in service

PSC NY No. 7--COMMUNICATIONS

Status: EFFECTIVE Effective Date: 12/30/2000

Verizon New York Inc.

Section 5 Original Page 10

Limited Service Offerings

5. LSO Reporting

5.2 LSOs/Special Assemblies Customer In-Service Quantities

5.2.27	ZZBJ1
C.	Customized Intercept Announcement— 3 customers in service
D.	Disconnect 1000 DID Stations— 1 customer in service
E.	Generic Recording Announcement–Scenario 2— 1 customer in service
F.	Recorded Announcement— 1 customer in service

5.2.28	ZZBKC
A.	Call Forwarding Variable–2 Paths— 1 customer in service

5.2.29	ZZBKE
A.	Non Standard Disaster Recovery on DID—3 customers in service

5.2.30	ZZBKG
A.	Customer Intercept on Disconnected Centrex Lines— 2 customers in service

5.2.31	ZZBL7
A.	Non-Standard dB Setting on Radio Tie Lines— 1 customer in service

5.2.32	ZZBLE
A.	Trunk Verification by Station— 9 customers in service

5.2.33	ZZBMP
Α.	Clear Channel Capability & ESF on FLEXPATH— 2 customers in service

5.2.34	ZZBNH
Α.	Modem in C.O. for SMDR–Premises— 1 customer in service

5.2.35	ZZBOB
A.	Music-on-Hold Access— 2 customers in service

PSC NY No. 7--COMMUNICATIONS

Status: EFFECTIVE Effective Date: 12/30/2000

Verizon New York Inc.

Section 5
Original Page 11

Limited Service Offerings

5. LSO Reporting

5.2 LSOs/Special Assemblies Customer In-Service Quantities

5.2.36 ZZBOC A. Meet-Me Paging & Outgoing Restriction Control— 1 customer in service

5.2.37 ZZBOD A. Enhanced Uniform Call Distribution— 1 customer in service

5.2.38 ZZBQ5 A. Blocking on DOD Trunks— 1 customer in service

5.2.39	ZZBS5
A.	Message Waiting on PRI—1 customer in service

5.2.40	ZZBZG
Α.	Call Forwarding Variable— 1 customer in service

5.2.41	ZZC4B
A.	Scan Points in C.O. for Disaster Recovery— 2 customers in service

5.2.42	ZZCHA
A.	Alternate Routing Arrangement (digital DID/DOD)— 2 customers in service

5.2.43	ZZCK3
Α.	DD Call Indicator— 1 customer in service

5.2.44	ZZCOF
Α.	Reroute Overflow Calls— 1 customer in service

5.2.45	ZZCW3
A.	Console Traffic Study via SMDR—1 customer in service

PSC NY No. 7--COMMUNICATIONS

Status: EFFECTIVE Effective Date: 12/30/2000

Verizon New York Inc.

Section 5 Original Page 12

Limited Service Offerings

5. LSO Reporting

5.2 LSOs/Special Assemblies Customer In-Service Quantities

5.2.46 ZZCW8 A. Customized Announcement–Disaster Recovery— 2 customers in service

5.2.47	ZZD1P
A.	Automatic Switch Protection of T1— 1 customer in service

5.2.48	ZZDKR
A.	Billing for 3 DMS Consoles— 1 customer in service

5.2.49	ZZDX3
A.	Overflow of DID Trunk Group into a RCF Group—1 customer in service

5.2.50	ZZDX8
A.	Cash Machine Access— 1 customer in service

5.2.51	ZZDX9
A.	Cash Machine Access— 1 customer in service

5.2.52	ZZDXE
A.	On Demand Automatic Location ID Printout— 1 customer in service

5.2.53	ZZDXT
A.	48 Volt Line Amplification— 1 customer in service

5.2.54	ZZEX5
A.	Calls Attempted/Calls Abandoned Data on Intellipath II— 1 customer in service

5.2.55	ZZHC2
Α.	Conference Bridging Arrangement—1 customer in service

Received: 12/03/2010 Status: EFFECTIVE Effective Date: 12/30/2000

PSC NY No. 7--COMMUNICATIONS

Verizon New York Inc.

Section 5
Original Page 13

Limited Service Offerings

5. LSO Reporting

5.2 LSOs/Special Assemblies Customer In-Service Quantities

5.2.56	ZZHC5
Α.	Additional Port on Bridged Private Line Circuit— 1 customer in service

5.2.57	ZZHC7
A.	Signal Distribution Points Connecting Customer Security Network Arrangement— 6
	customers in service

Issued: November 29, 2000 Effective: December 30, 2000

By Sandra Dilorio Thorn-General Counsel 1095 Avenue of the Americas, NY, NY 10036