PSC NO: 10 – Electricity Consolidated Edison Company of New York, Inc. Initial Effective Date: 11/01/2011

Leaf: Revision: Superseding Revision:

458 0

SERVICE CLASIFICATION NO. 9 – Continued GENERAL - LARGE

Special Provisions - Continued

- (D) When the service furnished under Rate I of this Service Classification is used by the Customer for the operation of electric space heating equipment which is permanently installed and exclusively supplies, and is adequate to supply, the entire space heating requirements of such Customer's premises served hereunder, provided that such service is not used in conjunction with Rider J, the number of kilowatts of demand billed shall be subject to reduction as follows: For the winter billing period, the demand billed shall be the number of kilowatts of measured demand reduced by:
 - (1) one-half of the connected kilowatt load of the foregoing space heating equipment; or
 - (2) one-half of the kilowatt space heating requirements as determined by the Company from its heat impact survey of the premises served,

whichever is less, provided, however, that, commencing April 1, 2010, the demand billed shall be at least equal to one-half of the measured demand or 5 kilowatts, whichever is greater. For purposes of this Special Provision, when a Customer is served under one or more of the economic development programs specified in General Rule 11, and the balance of the Customer's requirements is served under this Service Classification, "measured demand" is defined as the Customer's maximum monthly demand less the demand served under those economic development programs; "connected kilowatt load" is defined as the product of the Customer's connected kilowatt load and the ratio of the load to be served under this Service Classification and the maximum monthly demand; and "kilowatt space heating requirements" is defined as the product of the Customer's kilowatt space heating requirements and the ratio of the load to be served under this Service Classification and the maximum monthly demand.

This special provision will be subject to the same proration provision as the other rates and charges applicable to this Service Classification.

When any Customer plans a change in the installation or use thereof, such Customer shall give the Company reasonable advance notice in writing. The Company may conduct a new heat impact survey when necessitated by a change in the Customer's premises or space heating equipment or, at its discretion, to verify a Customer's continued eligibility for the demand reduction. Failure by the Customer to provide the Company with appropriate access to the premises to conduct such survey will result in the Customer being declared ineligible for service hereunder. Customers who take Standby Service are not eligible for service under this Special Provision. Applications for service under this Special Provision will not be accepted after March 31, 2008.