

P.S.C. No. 7 Electricity
City of Jamestown
Initial Effective Date: 8/1/2011

Leaf: 105
Revision: 1
Superseding Revision: 0

SERVICE CLASSIFICATION NO. 4

OFF-STREET LIGHTING

APPLICABLE TO USE OF SERVICE FOR:

Outdoor lighting of areas other than public streets, highways, and roadways, for individuals, private organizations, and institutional establishments where suitable electric service lines are available.

AVAILABILITY:

Mercury vapor lamps shall not be available for new installations except where such installations will be necessary in order to preserve a uniform lighting appearance within or immediately adjacent to an existing lighting system of the same size mercury vapor lamps.

CHARACTER OF SERVICE:

Unmetered service for limited period, dusk-to-dawn, of approximately 4,000 hours per year; alternating current, 60 Hz, at voltage designated by the Utility. Utility will own, operate, and maintain all facilities installed by it. Lamps and fixtures will be located as designated by Customer but will be located so as to be available to Utility's service vehicles.

RATE:

The charge for service for each calendar month shall be the sum of the following:

A. Charges per Lamp per Month

Mercury Vapor

Sodium Vapor

<u>Size</u>	<u>Rate</u>	<u>Size</u>	<u>Rate</u>
7,200 Lumen, 175 Watts	\$6.48	15,000 Lumen, 150 Watts	\$ 8.61
11,000 Lumen, 250 Watts	8.02	23,000 Lumen, 250 Watts	11.51
17,000 Lumen, 400 Watts	10.00	46,500 Lumen, 400 Watts	12.11

TEMPORARY STATE ASSESSMENT: \$0.00219

B. Facilities Charge

1. When suitable poles are available in Utility's existing distribution system, no charge will be made for the pole.

Issued by: David L. Leathers, General Manager
City of Jamestown, New York