

Choice One Communications of New York, Inc.
d/b/a EarthLink Business
PSC No. 4 - Telephone
Effective Date: September 10, 2012

Leaf 49
Revision: 0
Superseding Revision:

NETWORK INTERCONNECTION SERVICES TARIFF

SECTION 3 - ORDERING SERVICE (CONT'D.)

3.2 NET-1 Service Installation Intervals (Cont'd.)

3.2.2 Standards Interval (Cont'd.)

C. (Continued)

2. For Trunks in Excess of 192 Trunks-30 Business Days

- a. Requests for 193–384 trunks must be ordered between the same two locations.
- b. The request and any other subsequent request between the same two locations must be ordered within a 30 business day period and must not exceed a total of 384 trunks.
- c. The initial or subsequent request must not exceed the forecast by 10% or more.

D. The standard intervals for nonforecasted or overforecasted (by 10%) trunks are as follows.

1. Trunks-Nonforecasted or Overforecasted by 10% and Facilities Available-45 Business Days.
 - a. This interval applies to orders or portions of orders beyond 110% of a current forecast amount.
2. Trunks-Nonforecasted or Overforecasted by 10% and Facilities Not Available—198 Days.
 - a. This interval applies to orders or portions of orders beyond 110% of a current forecast amount where there are no trunk port facilities available.
 - b. New customer requests must include a forecast to the Telephone Company. If there are spare trunk port facilities, intervals can be negotiated.