

Choice One Communications of New York Inc.
d/b/a EarthLink Business
PSC No. 3 - Telephone
Effective Date: September 9, 2012

Leaf: 116
Revision: 0
Superseding Revision:

SWITCHED ACCESS SERVICES TARIFF

SECTION 13 - VOIP-PSTN TRAFFIC, (CONT'D.)

13.1 Identification and Rating of VoIP-PSTN Traffic (Cont'd.)

13.1.3 (Cont'd.)

- C. The Company will use the PVU-A and PVU-B factors to calculate an over-all PVU factor that represents the percentage of total access MOU for service exchanged between the Company and the Customer that is originated or terminated in IP format, whether at the Company's end, at the Customer's end, or at both ends. The PVU factor will be calculated as the sum of: (A) the PVU-A factor and (B) the PVU-B factor times (1.0 minus the PVU-A factor).
- D. The Company will apply the over-all PVU factor to the total service intrastate access MOU exchanged with the Customer to determine the number of Relevant VoIP-PSTN Traffic MOUs for service.

Examples for PVU Factor Calculations:

(The calculation elements in these examples are generic.)

Example 1: The PVU-B is 10% and the PVU-A is 40%. The over-all PVU factor is equal to $40\% + (10\% \times 60\%) = 46\%$. The Company will bill 46% of the Customer's intrastate access MOU as VoIP-PSTN Traffic, pursuant to this Section of this Tariff.

Example 2: The PVU-B is 10% and the PVU-A is 0%. The over-all PVU factor is $0\% + (100\% \times 10\%) = 10\%$. The Company will bill 10% of the Customer's intrastate access MOU as VoIP-PSTN Traffic, pursuant to this Section of this Tariff.

Example 3: The PVU-A is 100%. No matter what the PVU-B factor is, the over-all PVU is 100%. The Company will bill 100% of the Customer's intrastate access MOU as VoIP-PSTN Traffic, pursuant to this Section of this Tariff.

Default PVU Factors

If the Customer does not furnish the Company with a PVU factor pursuant to the preceding paragraph 13.1.3.A of this Section, the Company will utilize a PVU equal to the Company's PVU-B factor.

Issued By: Vice President - Tax, Atlanta, Georgia 30309