

PSC NO: 214 ELECTRICITY  
COMPANY: NIAGARA MOHAWK POWER CORPORATION  
INITIAL EFFECTIVE DATE: JUNE 1, 2012

LEAF: 17  
REVISION: 5  
SUPERSEDING REVISION: 3

# SERVICE CLASSIFICATION NO. 1 (Continued)

## D. Closed Facility Charges

The charges associated with the closed facilities presented below are applicable to those customers having such facilities in service. The charge for facility service during each billing cycle shall be the applicable monthly amounts set forth herein as of the first day of such billing cycle. Additional charges and credits are provided for in the applicable sections of this service classification.

### 1. Lamp/Luminaire Charge

The closed monthly lamp/luminaire charges, per unit, without volumetric charges and adjustments, are presented below in Table 6. Lamp/Luminaire charges are determined by lamp type and size (watts) and luminaire type.

Table 6 - Lamp/Luminaire Charge

| <u>Lamp/Luminaire Type</u>  | <u>Monthly Lamp/Luminaire Charge, per unit (\$)</u> |            |            |            |            |            |             |
|-----------------------------|-----------------------------------------------------|------------|------------|------------|------------|------------|-------------|
|                             | <u>70</u>                                           | <u>100</u> | <u>150</u> | <u>175</u> | <u>250</u> | <u>400</u> | <u>1000</u> |
| <u>High Pressure Sodium</u> |                                                     |            |            |            |            |            |             |
| Coach                       | 9.03                                                | 9.00       | 9.00       | -----      | -----      | -----      | -----       |
| Edison                      | 8.60                                                | 9.08       | 8.85       | -----      | -----      | -----      | -----       |
| Floodlight                  | -----                                               | -----      | -----      | -----      | -----      | -----      | 7.37        |
| Roadway                     | -----                                               | -----      | -----      | -----      | -----      | -----      | 10.23       |
| Shoebox                     | -----                                               | 7.50       | 7.50       | -----      | 7.50       | 7.29       | -----       |
| Traditional                 | 4.86                                                | 4.88       | 4.86       | -----      | -----      | -----      | -----       |
| <u>Metal Halide</u>         |                                                     |            |            |            |            |            |             |
| Shoebox                     | -----                                               | -----      | -----      | -----      | -----      | 7.33       | 7.50        |

Issued by Kenneth D. Daly, President, Syracuse, NY

Cancelled by supplement No. 23 effective 03/27/2013

Suspended to 03/29/2013 by order in Case 12-E-0201. See Supplement No. 22. The supplement filing date was 09/04/12

Suspended to 09/28/2012 by order in Case 12-E-0201. See Supplement No. 21. The supplement filing date was 05/15/2012