

PSC NO: 214 ELECTRICITY
NIAGARA MOHAWK POWER CORPORATION
INITIAL EFFECTIVE DATE: NOVEMBER 16, 2009

LEAF: 27
REVISION: 8
SUPERSEDING REVISION: 7

SERVICE CLASSIFICATION NO. 2 (Continued)

Table 13 - Luminaire Charge

| <u>Luminaire Type</u> | <u>Annual Luminaire Charge, per unit (\$)</u> | | | | | | |
|-------------------------|---|------------|------------|------------|------------|------------|-------------|
| | <u>Lamp Size (Watts)</u> | | | | | | |
| | <u>70</u> | <u>100</u> | <u>150</u> | <u>175</u> | <u>250</u> | <u>400</u> | <u>1000</u> |
| Buffalo Globe (5 units) | ---- | ---- | ---- | ---- | 503.18 | ---- | ---- |
| Franklin Square | ---- | ---- | ---- | ---- | 126.43 | ---- | ---- |
| Globe | ---- | ---- | 102.97 | 78.99 | ---- | ---- | ---- |
| Little Falls | 117.12 | ---- | ---- | ---- | ---- | ---- | ---- |
| Roadway | ---- | ---- | ---- | ---- | ---- | ---- | 108.52 |
| Shoebox | ---- | ---- | ---- | ---- | ---- | ---- | 140.00 |
| Underpass | ---- | ---- | ---- | ---- | 56.40 | ---- | ---- |
| Washington | ---- | 123.86 | ---- | ---- | ---- | ---- | ---- |

4. Pole/Standard Charge:

The annual pole or standard charges per unit are presented below in Table 14. A pole or standard is the support structure for the luminaire. Poles are constructed of wood and are most commonly used for overhead supplied service. Standards are constructed of metal or composite material, can be decorative, and are typically used for underground supplied service. The pole/standard charges are determined by the type of pole or standard and its height.

Table 14 - Pole/Standard Charge

| <u>Pole/Standard Type</u> | <u>Annual Pole/Standard Charge, per unit</u> | <u>Annual Charge (\$)</u> |
|--|--|---------------------------|
| Standard – (over 16 ft.), for OH Service | | |
| Steel – anchor base (AB) | | 164.76 |
| Aluminum – anchor base (AB) | | 168.36 |
| Standard – (over 16 ft.), for UG or URD Service | | |
| Steel – anchor base (AB, 50 ft. round) | | 300.00 |
| Steel – anchor base (AB, 35 ft. square) | | 170.00 |
| Steel – anchor base (AB) | | 241.29 |
| Steel – anchor base (AB, heavy duty) | | 285.90 |
| Steel – anchor base (AB, traffic signal, single arm) | | 443.47 |
| Steel – anchor base (AB, traffic signal, ten (10) or more, per unit) | | 1,016.55 |
| Standard – (16 ft. and under), for UG or URD Service | | |
| Steel – anchor base (AB) | | 103.61 |
| Steel – direct embedded (DE) | | 122.10 |
| Aluminum – anchor base (AB, square) | | 129.83 |
| Decorative Standard – (16 ft. and under), for UG or URD Service | | |
| Aluminum – anchor base (AB), Little Falls | | 183.12 |
| Cast Iron – anchor base (AB), Armory Square | | 345.58 |

5. Arm/Bracket Charge:

The annual arm and bracket charges per unit are presented below in Table 15. Arms and brackets attach the luminaire to the pole or standard, where applicable. An arm attaches to a standard and a bracket attaches to a pole. The arm and bracket charges are determined by the type of standard or pole to which it is attached.

Issued by Thomas B. King, President, Syracuse, NY