Received: 02/22/2010 Status: CANCELLED Effective Date: 02/26/2010

PSC NO: 220 ELECTRICITY LEAF: 322
NIAGARA MOHAWK POWER CORPORATION REVISION: 1
INITIAL EFFECTIVE DATE: FEBRUARY 26, 2010 SUPERSEDING REVISION: 0

STAMPS: Issued in Compliance with Order issued February 12, 2010 in Case No. 09-E-0819.

NEW YORK STATE STANDARIZED APPLICATION FOR ATTACHMENT OF PARALLEL GENERATION EQUIPMENT ABOVE 25 KW UP TO 2 MW TO THE ELECTRIC SYSTEM OF NIAGARA MOHAWK POWER CORPORATION D/B/A NATIONAL GRID

For Synchronous Machines:		
Submit copies of the Saturation Curve an	nd the Vee Curve	
()Salient ()Non-Salient		
Torque: lb-ft Rated RPM:		
Field Amperes: at rated generated	ator voltage and current	
and% PF over-excite	ed	
Type of Exciter:		
Output Power of Exciter:		
Type of Voltage Regulator:		
Direct-axis Synchronous Reactance (X	ohms	
Direct-axis Transient Reactance (X' _d)	ohms	
Direct-axis Sub-transient Reactance (X"		
For Induction Machines:		
	Exciting CurrentAmps	
Rotor Reactance (X_r) ohms	Reactive Power Required:	
Magnetizing Reactance (X _m)ohn	ns VARs (No Load)	
Stator Resistance (R _s) ohms	VARs (Full Load)	
Stator Reactance (X_s) ohms	/ The (I on Zood)	
Short Circuit Reactance (X" _d)ohm	s Phases:	
Frame Size: Design Lett Temp. Rise: OC.	()Three-Phase	
	()111100 1 1111100	
For Inverters:		
Manufacturer: Model:		
Type: ()Forced Commutated ()L	ine Commutated	
Rated Output:AmpsVolts		
Efficiency:%		
· ——		
Signature:		
CUSTOMER/AGENT SIGNATURE	TITLE	DATE
COSTOMEN/AGENT SIGNATURE	HILL	DATE