

AT&T Communications of New York, Inc.  
P.S.C. No. 23 -- Telephone  
Message Telecommunications Service  
Effective Date: July 21, 2010

Section 3  
Leaf No. 44  
Revision: 0  
Superseding Revision:

---

## SECTION 3-CONNECTIONS

### 3.2. CONNECTIONS TO PRIVATE LINE SERVICES (Cont'd)

#### 3.2.7 CONNECTIONS OF REGISTERED EQUIPMENT

- B. The connection of registered terminal equipment and registered PBX systems may be made only at the Customer's premises to a voice grade Private Line Service (including appropriate Group Channel equivalents) that presents an interface for either 2 or 4 wire transmission, with separate E and M signaling leads conventionally known as Type I (battery/ground) or Type II (contact closure type). Such E and M signaling leads are those terminal equipment or PBX leads (other than voice or data communications leads) used for the purpose of transferring supervisory or address signals across the interface.
- C. The connection of registered terminal equipment and registered PBX systems may be made only at the Customer's premises to a voice grade Private Line Service furnished to provide indications of message registration of outgoing calls or automatic identification of outward dialing (AIOD) to such equipment or systems.

In addition, Customers who intend to install, perform additions to, or make rearrangements of AIOD functions shall give advance notice to the Company in accordance with the procedures specified in Part 68 of the Federal Communications Commission's Rules and Regulations or as otherwise authorized by the Federal Communications Commission.

---

Issued by: Carol E. Paulsen, Director Regulatory, Dallas, Texas 75202