

AT&T Communications of New York, Inc.
P.S.C. No. 25 -- Telephone
Private Line Services
Effective Date: July 21, 2010

Section 8
Leaf No. 8
Revision: 0
Superseding Revision:

SECTION 8 - ACCUNET T45 SERVICES

8.2 SERVICE COMPONENTS AND RATES (Cont'd)

8.2.3 Office Functions

- A. M28 Multiplexing - The M28 Multiplexing Office function provides for the derivation/combination of up to 28 DS1 channels from/into a 44.736 Mbps digital signal carried by an ACCUNET T45 IOC, a Terrestrial 45 Mbps Local Channel Service (from this Company's Business Service Guide), or Other Access.

The M28 Multiplexing Office function is used in conjunction with another M28 Multiplexing Office Function in the same or at another AT&T central office, or with compatible customer-provided multiplexing equipment located at the Customer's premises. Customer-provided multiplexing used in conjunction with ACCUNET T45 Service must transmit a standard DS3 type formatted 44.736 Mbps signal as described in Technical Publication-PUB 43802.

An ACCUNET T45 Office Connection is required to connect the 44.736 Mbps digital signal to this Office Function. In addition, ACCUNET T1.5 Office Connections are required to connect each DS1 channel to this office function.

	<u>USOC</u>	<u>MONTHLY</u>	<u>INSTALLATION CHARGE</u>
- Per M28 Multiplexing Office Function	M2X	ICB	ICB

Issued by: Carol E. Paulsen, Director Regulatory, Dallas, Texas 75202