

AT&T Communications of New York, Inc.
P.S.C. No. 26 -- Telephone
Private Line Local Channel Services
Effective Date: July 21, 2010

Section 14
Leaf No. 3
Revision: 0
Superseding Revision:

SECTION 14 - MISCELLANEOUS EQUIPMENT AND ARRANGEMENTS

14.2 MISCELLANEOUS EQUIPMENT AND ARRANGEMENTS FOR USE WITH VOICE GRADE LOCAL CHANNEL SERVICES IN LATA 132, 133, 134, 136, 138, 140 AND 921 (Cont'd)

14.2.2 Protective Equipment

- A. Drainage Coils and Isolation Transformers - Protects a local channel from high ground potential rise (GPR) at the Customer's premises. The local channel is protected up to 9000 volts RMS and 23000 volts first peak of GPR. (All local channels to the protected premises require suitable protective equipment.)

	<u>USOC</u>	<u>MONTHLY</u>		<u>INSTALLATION CHARGE</u>	
		<u>Minimum*</u>	<u>Maximum</u>	<u>Minimum*</u>	<u>Maximum</u>
- Per local channel	4WD		\$46.41		\$179.11

- B. Neutralizing Transformers - A device installed on local channel facilities at power station locations to protect such facilities against excessive voltages impressed on the lines at the time of a power system fault or a lightning surge on the power lines.

	<u>USOC</u>	<u>MONTHLY</u>		<u>INSTALLATION CHARGE</u>	
		<u>Minimum*</u>	<u>Maximum</u>	<u>Minimum*</u>	<u>Maximum</u>
2,000 volt capacity, each	PL		\$ 52.08		\$248.01
4,000 volt capacity, each	PL4		\$104.28		\$363.72
8,000 volt capacity, each	PL7		\$156.25		\$495.97

* See 2.5.2 of this tariff.

Issued by: Carol E. Paulsen, Director Regulatory, Dallas, Texas 75202