Received: 12/12/2008

Status: CANCELLED Effective Date: 01/11/2009

Leaf No. 96

P.S.C. No. 1 – Water United Water Westchester Inc.

Revision: 0 Superseding Revision: 0 Initial Effective Date: January 11, 2009

## 46. WARRANTY OF WATER MAIN EXTENSION APPURTENANCES

	RRANTY, as described below, is nereby being provided this	
	by	(the "Contractor"),
	s principal office at	
to UNI	ITED WATER WESTCHESTER INC. (the "Company") in connect	tion with Contractor's
installa	ation of water main extension(s) in the Company's distribution sy	stem and in consideration
	Company's agreement to such installation.	
	WITNESSETH:	
l.	Contractor will be serving as the installation contractor for water main extension(s) of the	
	distribution system of the Company as follows:	
	, ,	

- 2. Contractor agrees that this WARRANTY shall apply to the materials and workmanship used in installing the main(s) described above and the appurtenant fire hydrants and service connections from the said main(s) to the property line of each premises to be served.
- 3. Contractor hereby warrants that work performed in installing the main and appurtenances is free of any defect of equipment, material or workmanship. Such warranty shall continue for a period of two years from completion and approval of the extension or within such longer period of time as may be prescribed by law. Under this warranty, the Contractor, under Company supervision, shall remedy at his own expense any such failure to conform or any such defect upon receipt of written notice from the Company within a reasonable time after the discovery of any failure, defect or damage. In addition, during the aforesaid warranty period, the Contractor shall remedy at his own expense, under Company supervision, any damage to Company-owned or controlled real or personal property, when that damage is the result of any such defect of equipment, material or workmanship installed by the Contractor. The warranty with respect to work repaired or replaced hereunder will run for the greater of one year from