

PSC NO: 1 ELECTRICITY
COMPANY: VILLAGE OF HOLLEY
INITIAL EFFECTIVE DATE: 6/01/2009

LEAF: 7
REVISION: 2
SUPERSEDING REVISION: 1

SERVICE CLASSIFICATION NO. 2 (CONT'D)
General Service

PURCHASED POWER ADJUSTMENT:

The charges set forth in this service classification shall be subject to a purchased power adjustment in accordance with Section IX of the Village of Holley tariff and consistent with Rule IX of the NYMPA generic tariff.

BASE PURCHASED POWER COST PER KILOWATT-HOUR:

The base purchase power cost per kilowatt-hour pursuant to Rule IX.B of the NYMPA generic tariff is 0.013164.

FACTOR OF ADJUSTMENT:

The factor of adjustment pursuant to Rule IX.D of the NYMPA generic tariff is 1.067731.

DETERMINATION OF DEMAND:

If metered, the demand shall be the highest average kilowatts measured in a 15 minute interval during the billing period, but not less than one (1) kilowatt.

Where a demand meter is not installed, the demand shall be considered to 50% of the total connected load as determined by the name - plate ratings of all devices, installed, and unused convenience outlet being considered to be 100 watts.

SPECIAL PROVISIONS:

- A. Where total load and operating schedule is predetermined as for signs and billboards, the kilowatt hour use may be computed and not measured.
- B. Whenever taking of service is measured at secondary voltage, metered energy will be billed without adjustment, and whenever taking of service is measured at primary voltage, metered energy will be decreased by three (3) percent. Whenever Electric Department does not have to supply and maintain a transformer for such service, there shall be a discount of (\$0.10) ten cents per kilowatt per month of measured demand. If the demand, in this case, is not measured, the metered energy will be further reduced by two (2) percent. These discounts shall be applicable to the energy charge or the minimum charge, whichever applies.

Issued by: Gail E. Sevor, Clerk, 72 Public Square, Holley, NY 14470