PSC NO: 12 GAS LEAF: 83 COMPANY: THE BROOKLYN UNION GAS COMPANY REVISION: 8 INITIAL EFFECTIVE DATE: 10/13/03 SUPERSEDING REVISION: 7 STAMPS:

GENERAL INFORMATION - Continued

The Weather Adjustment on a customer's bill is made by multiplying the Weather Normalization Adjustment Factor (WNF) by the customer's total consumption for that billing period. The Company will file all Weather Normalization Adjustments with the Commission on a monthly basis.

| | Base Load Factor | Degree Day Factor | Margin |
|--------------------------|------------------|-------------------|-------------------|
| Customer Class | (Dth/Day) | (Dth/Degree Day) | <u>(\$/Therm)</u> |
| SC 1B, 1BI, 1BR, | | | |
| 16 (CTBS-1B, 1BI, 1B | SR), | | |
| 17 (CTS-1B, 1BI, 1BR | 49,809 | 10,751 | \$.354 |
| SC 2 (RS-2), 16 (CTBS-2, | | | |
| RS-2), 17 (CTS-2, RS- | 6,392 | 1,226 | .303 |
| SC 3, 16 (CTBS-3), | | | |
| 17 (CTS-3) | 7,363 | 1,310 | .220 |
| SC 4B, 16 (CTBS-4B), | | | |
| 17 (CTS-4B) | 333 | 13 | .309 |
| Normal Heating | | | |
| | Degree Days | | |
| October | 249 | | |

518

869

1,021

865

693

375

126

Issued by John J. Bishar, Jr., Senior Vice President, General Counsel and Secretary, Brooklyn, NY

November

December

January

March

April

May

February