

PSC NO: 3 TELEPHONE  
ALLTEL New York, Inc.  
Initial Effective Date: 5/30/03

Section: 11 Leaf: 24  
Revision: 0  
Superseding Revision:

## SECTION 11 - ADVANCED DIGITAL SERVICES

### PRIMARY RATE ACCESS

#### 11.C.4. TECHNICAL SPECIFICATIONS (Cont'd)

- B. Customer Premises Equipment Facilities - Compatible customer premises equipment is required for PRA. All equipment used with these services is required to conform with National ISDN guidelines, as referenced in the following Bellcore specifications:

<u>Document Number</u>	<u>Description</u>
TR-NWT-001268	ISDN Primary Rate Access Call Control Switching and Signaling Generic Requirements for Class II Equipment
SR-NWT-002343	ISDN Primary Rate Access Generic Guidelines for Customer Premises Equipment

The Telephone Company shall not be responsible if changes in any of the equipment, operations, or procedures of the Company used in the provisioning of PRA render any facilities provided by the customer obsolete or require modification of such equipment or system, or otherwise affect its use or performance.

#### 11.C.5. REGULATIONS AND CONDITIONS

- A. Unless specifically exempted, PRA shall be subject to all general regulations applicable to the provision of service by the Telephone Company as stated in this tariff.
- B. PRA and its optional services are furnished subject to central office switching capacity, capability, and the availability of outside plant facilities.
1. The availability, functionality, and capabilities of PRA may vary, or may not be available, dependent upon type of serving central office switch, related software controlling that switch, and associated outside plant.
- (a) Where facilities are not available, or unusual expenditures are involved in making them available, the customer may be required to pay additional charges to cover the unusual expenditure, or to contract for services beyond the normal service term, or both.

Issued by: Vice President, State Government Affairs, Little Rock, Arkansas