

PSC No: 120 - Electricity
New York State Electric & Gas Corporation
Initial Effective Date: October 1, 2004

Leaf No. 193.4
Revision: 0
Superseding Revision:

SERVICE CLASSIFICATION NO. 5 (Continued)

RATE CHOICES AVAILABLE TO CUSTOMERS: (CONT'D.)

3. NYSEG Fixed Price (BRO) (Cont'd.)

H.P.S. - High Pressure Sodium

PACKLITE/Power Bracket - for pole mount only.

*Luminaires are no longer available for new installations. Upon failure and fulfillment of contract, lights will not be replaced in kind. Customer may select an alternative luminaire.

Note: The rating of lamps in lumens is for identification purposes only and shall approximate the manufacturer's standard rating.

** The rate for NYSEG's Fixed Price (BRO) may be revised every six months on April 1 and October 1 of each year to reflect increases in the cost of providing fixed commodity service. The revised rate will be calculated using the methodology approved by the Commission in Case No. 01-E-0359 for calculating the commodity portion of BRO prices. Such revised rate will be utilized only if greater than the initial BRO rate effective January 1, 2003. However, the revised rate will be applicable only to a customer who chooses or is placed on the NYSEG Fixed Price (BRO) rate or the NYSEG Fixed Price with Supply Credit (BRO w/RAC) rate, on or after the effective date of the revision. The revised rate remains in effect for such customers through December 31, 2004, regardless of whether the customer chooses the BRO rate or BRO w/ RAC rate.

NYSEG will file such revised BRO rates with the Public Service Commission not less than three days prior to the effective date of the revised rate.

4. NYSEG Variable Price (VRO)

This Non-Retail Access choice includes a fixed component for NYSEG delivery service, a fluctuating Transition Charge (Non-Bypassable Wires Charge ["NBWC"]) and a commodity charge for electricity supplied by NYSEG which fluctuates with the market price of electricity.

RATE: (Per Meter, Per Month)

Delivery Service:

Lamp Style & Size	Total Monthly Unit Rate
Safeguard Luminaires (Post-2/1/88)	
14,500 Nominal Lumen 150 Watt H.P.S. (replacing 7,000 L. 175 Watt M.V.)	\$7.90
43,000 Nominal Lumen 400 Watt H.P.S. (replacing 17,200 L. 400 Watt M.V.)	\$14.51
123,000 Nominal Lumen 940 Watt H.P.S. (replacing 48,000 L. 1,000 Watt M.V.)	\$20.64

Issued in compliance with Orders in Case 01-E-0359 dated February 27 and November 22, 2002.

ISSUED BY: James A. Lahtinen, Vice President Rates and Regulatory Economics, Binghamton, New York