

PSC No: 18 - Electricity
Rochester Gas and Electric Corporation
Initial Effective Date: March 1, 2004

Leaf No. 26
Revision: 2
Superseding Revision: 1

Issued under the authority of the PSC in Case Nos. 02-E-0198 and 02-G-0199, issued and effective March 7, 2003

SERVICE CLASSIFICATION NO. 1 (Cont'd)
STREET LIGHTING SERVICE

RATE CHOICES AVAILABLE TO CUSTOMERS:

Pursuant to Rule 11, General Retail Access – Multi-Retailer Model, of the Company's Schedule for Electric Service, P.S.C. No. 19, customers served under this Service Classification will choose either a Retail Access Rate or a Non-Retail Access Rate.

Retail Access Rate: (Per Month)

RG&E will provide Delivery Service under the Retail Access Rate. Commodity Service will be provided by an ESCO. The Retail Access Rate is equal to the Non-Retail Access Rate minus (1) a Retailing Backout Credit of \$0.004 per kWh, and (2) the Market Based Backout Credit (MBBC) as described in Rule 11.C.13 of the Company's Schedule for Electric Service, P.S.C. No. 19.

Non-Retail Access Rate: (Per Month)

RG&E will provide Delivery and Commodity Service under the Non-Retail Access Rate.

Circuit Charge (Per Year):

| <u>Description</u> | <u>Unit Rates per Foot of Street Lighted(1) (Except as Noted)</u> |
|--|--|
| Overhead wire | \$.12669 |
| Street lighting wood poles, Company owned, per pole | 41.43 |
| Street lighting wood poles, jointly owned by Company and third party, per pole | 20.71 |
| Conduit and cable | .89515 |
| Direct buried cable in URD subdivisions | .4151 |
| Cable in conduit owned by others | .31948 |

- (1) "Per Foot of Street Lighted" shall be determined by measuring along the center lines of intersecting streets. On dead-end or partially lighted streets, the measurement shall be taken to the last lamp. When lighting is installed in parks, playgrounds or on school properties, the measurement shall be taken along the circuit route.

(Continued on next leaf)

ISSUED BY: James A. Lahtinen, Vice President Rates and Regulatory Economics, Rochester, New York