Received: 10/22/2003

Status: CANCELLED Effective Date: 12/01/2003

Leaf: 54

PSC NO: 121 ELECTRICITY NEW YORK STATE ELECTRIC & GAS CORPORATION

NEW YORK STATE ELECTRIC & GAS CORPORATIONInitial Effective Date: 12/01/03

Revision: 0

Superseding Revision:

SERVICE CLASSIFICATION NO. 3 (Cont'd.)

RATE CHOICES AVAILABLE TO CUSTOMER: (CONT'D.)

3. NYSEG Fixed Price (BRO) (Cont'd.)

<u>Bundled Service</u> - Effective October 1, 2003 ** (Cont'd.)

	kWh	Luminaire Charge	Total Energy Charge @ \$0.10361 per kWh	Total Charge
High Pressure Sodium				
Special Luminaires				
400 Watts*+ - 45,000 - Spacelite	2,048	\$163.05	\$212.19	\$375.24
250 Watts*+ - 24,700 - Decaglow or	1,319	139.52	136.66	276.18
400 Watts*+ - 45,000 - Decashield	2,048	167.86	212.19	380.05
250 Watts*+ - 24,700 - Concourse - A	1,319	134.41	136.66	271.07
400 Watts*+ - 45,000 - Concourse - A	2,048	162.65	212.19	374.84
250 Watts - 24,700 - Versa Flood P.T.	1,319	113.60	136.66	250.26
250 Watts - 24,700 - Hiway Liter	1,319	451.05	136.66	587.71
400 Watts - 45,000 - Hiway Liter	2,048	451.05	212.19	663.24
150 Watts - 14,400 - Turnpike	720	172.18	74.60	246.78
250 Watts - 24,700 - Turnpike	1,319	214.49	136.66	351.15
400 Watts - 45,000 - Turnpike	2,048	205.17	212.19	417.36
150 Watts - 14,400 - Floodlight	720	144.45	74.60	219.05
250 Watts - 24,700 - Floodlight	1,319	144.45	136.66	281.11
400 Watts - 45,000 - Floodlight	2,048	144.45	212.19	356.64
Metal Halide - Floodlights				
250 Watts - 16,000 Lumen	1,319	\$136.53	\$136.66	\$273.19
400 Watts - 28,000 Lumen	2,048	152.38	212.19	364.57

⁺ Luminaires are no longer available for new installations. Upon failure and fulfillment of contract, lights will not be replaced in kind. Customer may select an alternative luminaire light source from the tariff.

NYSEG will file such revised BRO rates with the Public Service Commission not less than three days prior to the effective date of the revised rate.

Issued by: James A. Lahtinen, Vice President - Rates & Regulatory Economics, Binghamton, NY

^{**} The rate for NYSEG's Fixed Price (BRO) may be revised every six months on April 1 and October 1 of each year to reflect increases in the cost of providing fixed commodity service. The revised rate will be calculated using the methodology approved by the Commission in Case No. 01-E-0359 for calculating the commodity portion of BRO prices. Such revised rate will be utilized only if greater than the initial BRO rate effective January 1, 2003. However, the revised rate will be applicable only to a customer who chooses or is placed on the NYSEG Fixed Price (BRO) rate or the NYSEG Fixed Price with Supply Credit (BRO w/RAC) rate, on or after the effective date of the revision. The revised rate remains in effect for such customers through December 31, 2004, regardless of whether the customer chooses the BRO rate or BRO w/RAC rate.