Received: 12/01/2003 Status: CANCELLED Effective Date: 12/01/2003

PSC No:4 Gas Leaf: 80.2

Corning Natural Gas Corporation Revision: 0
Initial Effective Date: 12/01/2003 Superseding Revision:

Nomination Timeline

	Timely	Evening	Morning	Intra-Day	Intra-Day	Intra-Day
	Nomination	Cycle	Cycle 1	1	2	3
Leaves Control						
of Nominating	12:30 p.m.	7:00 p.m.	8:45 a.m.	11:00a.m.	6:00 p.m.	9:45 p.m.
Party	ECT	ECT	ECT	ECT	ECT	ECT
Pipeline must				11:15		
receive	12:45 p.m.	7:15 p.m.	9:00 a.m.	a.m.	6:15 p.m.	10:00 p.m.
nomination	ECT	ECT	ECT	ECT	ECT	ECT
				11:30		
Quick Response	1:00 p.m.	7:30 p.m.	9:15 a.m.	a.m.	6:30 p.m.	10:15 p.m.
Due	ECT	ECT	ECT	ECT	ECT	ECT
Confirmation	4:30 p.m.	10:00 p.m.	11:00a.m.	2:00 a.m.	9:00 p.m.	11:00 p.m.
Completed	ECT	ECT	ECT	ECT	ECT	ECT
Quantities for						12:00
	5:30 p.m.	11:00 p.m.	12:00 Noon	3:00 p.m.	10:00 p.m.	Midnight
Scheduled Noms	ECT	ECT	ECT	ECT	ECT	ECT
Effective Time	10:00 a.m.	10:00 a.m.	1:00 p.m.	6:00 p.m.		
	Next Day	Next Day	(1300)	(1800)	10:00 p.m.	2:00a.m.
			Current	Current	(2200)	(0200)
			Day	Day	Current Day	Current Day

E) Pursuant to the no harm no foul rule, if the pool is outside the daily balancing tolerance (short or long) then the amount of gas over or under the daily balancing tolerance will be cashed out. The cash-out will be applied to only those accounts whose imbalances are in the same direction as the total pool imbalance. The daily cash-outs activity will be netted for the month and be billed to the customer along with the supporting detail. The amount of gas not cashed out but within the monthly balancing tolerance will be rolled forward into the next month for each affected customer/account. This rollover would be used throughout the month to balance the daily nominations to actual use when necessary and will be applied starting with the first gas day, then the second etc. until it is zeroed out.

Issued by Thomas K. Barry, Chairman, President & C.E.O., Corning, NY 14830

[&]quot;Issued Under the Authority of PSC Order Dated Nov 25, 2003 in Case No. 02-G-0003"