Received: 12/11/2000 Status: CANCELLED Effective Date: 01/11/2001

..DID: 14064

..TXT: PSC NO: 1 GAS LEAF: 119.36

COMPANY: KEYSPAN GAS EAST CORP. DBA BROOKLYN UNION OF L.I. REVISION: 3

INITIAL EFFECTIVE DATE: 01/11/01 SUPERSEDING REVISION: 2

STAMPS:

RECEIVED: 12/11/00 STATUS: Effective EFFECTIVE: 01/11/01

RECEIVED: STATUS: EFFECTIVE:

GENERAL INFORMATION (Cont.)

6. Upon receipt of a switch request from a subsequent ESCO/Marketer following the discontinuance notice, the Company will verify the intended switch with the customer in accordance with the Slamming Prevention Process (e.g., the Company must notify the customer within 5 calendar days of the switch request).

- 7. If a more expeditious discontinuance process is judged to be needed in a specific situation, the ESCO/Marketer may request such expedited treatment upon a showing of need to the Public Service Commission or its designee, who shall have the authority to grant such a request. The Commission or its designee may also, for good cause, initiate an expeditious discontinuance process on its own motion. The Company shall also have standing in any such processes.
- 8. Sample copies of the form of the notices to customers under this process shall be provided to the Department of Public Service for review at least 5 calendar days before the letters are sent to customers.
- B. Discontinuance of Sales by ESCO/Marketer to Individual Retail Customer
 - 1. An ESCO/Marketer may discontinue sales to individual retail customers in the Company's service territory at will (except as may be otherwise limited by contracts with customers), upon submission of a notice to those individual customers and to the Company at least 15 calendar days prior to the discontinuance date. The notice to retail customers shall inform them:
 - (a) of the date of the discontinuance (which should be at the customers next meter read date or the first of the month consistent with the Company's switching tariffs);

Issued by Robert J. Fani, Senior Vice President, Hicksville, NY