

..DID: 3135
..TXT: PSC NO: 1 ELECTRICITY LEAF: 10
COMPANY: VILLAGE OF PHILADELPHIA REVISION: 0
INITIAL EFFECTIVE DATE: 05/10/98 SUPERSEDING REVISION:
STAMPS:
EFFECTIVE under authority of PSC 98-G-0604 made 04/29/98
Cancelled by 1 Rev. Leaf No. 10 Effective 04/01/2001
RECEIVED: 04/08/98 STATUS: Cancelled EFFECTIVE: 05/01/98

SERVICE CLASSIFICATION NO. 4
SECURITY OUTDOOR LIGHTING RATE

APPLICABLE USE:

Private outdoor lighting from multiple circuits.

CHARACTER OF SERVICE:

Limited period, approximately 4200 hrs. per year, 60 hertz alternating current at approximately 120/240 volts.

MONTHLY RATE:

Per month, per unit of:

175 Watt, High Pressure Sodium	N/A
250 Watt, High Pressure Sodium	N/A
400 Watt, High Pressure Sodium	N/A

Facilities Charge, per lamp per month	\$3.40
--	--------

Energy Charge, per KWH	.0369
------------------------	-------

MINIMUM CHARGE:

None

TERMS OF PAYMENT:

Net amount monthly.

Issued by: Phillip Hughes, Manager, Philadelphia, NY