Received: 06/09/1998 Status: CANCELLED Effective Date: 10/08/1998

..DID: 4162

..TXT: PSC NO: 218 GAS LEAF: 197

COMPANY: NIAGARA MOHAWK POWER CORPORATION REVISION: 1

INITIAL EFFECTIVE DATE: 08/21/98 SUPERSEDING REVISION: 0

STAMPS:

Cancelled by 2 Rev. Leaf No. 197 Effective 11/16/1998

Effective date postponed to 10/08/98. See Supplement No. 9, 8

RECEIVED: 06/09/98 STATUS: Cancelled EFFECTIVE: 10/08/98

SERVICE CLASSIFICATION NO. 11 LOAD AGGREGATION (continued)

- j. <u>Balancing Service</u>. There are no daily or monthly balancing requirements for customers or aggregators participating in Basic Aggregation Service. All Balancing will be provided by Niagara Mohawk. Aggregators will be assessed a monthly balancing rate per therm of \$0.02838 multiplied by the sum of the Maximum Peak Day Quantities of the customers in the Aggregator's Pool. This rate will remain in effect through October 31, 1999, the end of the settlement term in the Company's Rate Proceeding Case No. 95-G-1095.
- Return to Sales Service. A customer may return to Sales Service if k. Niagara Mohawk, in its judgment, has adequate supplies of gas available to serve the customer and the customer authorizes Niagara Mohawk to recall the upstream pipeline capacity previously released to the customer. If an aggregator's customers revert to Niagara Mohawk's sales service, the capacity will be recalled and stored gas associated with those customers will be purchased from the aggregator by Niagara Mohawk at Niagara Mohawk's average cost of gas in storage excluding capacity charges on the date the customer returned to sales service. If capacity allocated to a customer is recalled from the customer's aggregator pursuant to paragraph d. above, the customer will be provided Sales Service for the balance of the month in which the recall occurred, and for two months thereafter. A customer who does not obtain a qualified aggregator within this period, will be required to remain on Sales Service for the minimum term of one year calculated from the first day of the month in which the recall occurred.
- 1. <u>Changing Aggregators</u>. A Customer may change aggregators effective on the next scheduled read date by providing notice to Niagara Mohawk on Aggregator Form 2 not later than the 11<sup>th</sup> of the month prior to the month service is to commence. Aggregator Form 2 must be completed by the Customer's new aggregator and submitted to the Company electronically through the Company's web site or via fax.

Issued By: Albert J. Budney, Jr., President, Syracuse, New York