

..DID: 6360**..TXT: PSC NO: 9 GAS****LEAF: 286****COMPANY: CONSOLIDATED EDISON COMPANY OF NEW YORK, INC. REVISION: 0****INITIAL EFFECTIVE DATE: 03/01/99 SUPERSEDING REVISION:****STAMPS:****Cancelled by 1 Rev. Leaf No. 286.0 Effective 04/01/1999****RECEIVED: 12/08/98 STATUS: Cancelled EFFECTIVE: 03/01/99****SERVICE CLASSIFICATION No. 9 - Continued****TRANSPORTATION SERVICE - Continued****Rates - Continued****(G) Balancing Services and Charges for Firm Customers - Continued****(3) Daily Delivery Service - Continued****(b) Same Day Notification - Continued**

changes to the DLQ as confirmed by the pipeline ("Revised DTQ" or "RDTQ") and further explained in the Company's Sales and Transportation Operating Procedures. A Customer shall be required to present documentation to the Company that there is in place one or more executed transportation contract(s) with one or more interstate pipeline(s) for Firm Transportation and/or storage and associated Firm Transportation under which the Customer's Seller has the unilateral right to schedule intra-day nomination changes for its Customers to the extent necessary to meet the RDLQ requirements.

Failure by the Customer's Seller to comply with intra-day changes on three or more occasions may disqualify a Seller from eligibility for the Same Day Notification Option. In that event, the Seller and its Customer(s) may be transferred to the Prior Day Notification Option.

The DLQ and RDLQ shall be determined by the Company based on the Customer's projected load and forecasted weather.

The Company shall deliver to the Customer on every day of the month a quantity of gas sufficient to meet the Customer's requirements, subject to the Company's rights to interrupt service set forth in this Service Classification, Service Classification No. 20 and this Rate Schedule.

(Service Classification No. 9 - Continued on Leaf No. 287.0)

Issued By: Joan S. Freilich, Executive Vice President & Chief Financial Officer, 4 Irving Place, New York, N. Y. 10003
(Name of Officer, Title, Address)