

PSC NO: 121 ELECTRICITY
NEW YORK STATE ELECTRIC & GAS CORPORATION
Initial Effective Date: 06/24/22

Leaf: 41
Revision: 19
Superseding Revision: 18

SERVICE CLASSIFICATION NO. 3 (Cont'd.)

SUPPLY SERVICE OPTIONS AVAILABLE TO CUSTOMER: (CONT'D.)

1. ESCO Supply Service (ESS) (Cont'd.)

	Monthly Luminaire Charge
	Effective Date
High Pressure Sodium Cobra	
50 Watts+ - 3,300 Lumen	\$14.14
70 Watts+ - 5,200 Lumen	\$14.13
100 Watts+ - 8,500 Lumen	\$14.13
150 Watts+ - 14,400 Lumen	\$14.13
250 Watts+ - 24,700 Lumen	\$14.13
400 Watts+ - 45,000 Lumen	\$14.76
1000 Watts+ - 126,000 Lumen	\$18.63
High Pressure Sodium Post Top	
50 Watts+ - 3,300 Lumen	\$16.31
70 Watts+ - 5,200 Lumen	\$16.31
100 Watts+ - 8,500 Lumen	\$17.92
150 Watts+ - 14,400 Lumen	\$25.94
High Pressure Sodium Cut Off ("Shoebox")	
70 Watts+ - 5,200 Lumen	\$23.27
100 Watts+ - 8,500 Lumen	\$22.63
150 Watts+ - 14,400 Lumen	\$22.63
250 Watts+ - 24,700 Lumen	\$20.16
Metal Halide Cobra	
70 Watts+ - 4,000 Lumen	\$8.59
100 Watts+ - 5,800 Lumen	\$9.81
175 Watts+ - 12,000 Lumen	\$9.30
250 Watts+ - 16,000 Lumen	\$21.16
400 Watts+ - 28,000 Lumen	\$19.84
Metal Halide Post Top	
100 Watts- 5,800 Lumen	\$10.01
175 Watts - 12,000 Lumen	\$10.13

ISSUED BY: Joseph J. Syta, Vice President, Controller and Treasurer, Binghamton, New York

Suspended to 10/22/2022 by order in Case 22-E-0317. See Supplement No. 36. The supplement filing date was 06/20/22

Suspended to 04/22/2023 by order in Case 22-E-0317. See Supplement No. 37. The supplement filing date was 09/22/22

Suspended to 07/01/2023 by order in Case 22-E-0317. See Supplement No. 38. The supplement filing date was 04/20/23

Suspended to 10/19/2023 by order in Case 22-E-0317. See Supplement No. 39. The supplement filing date was 06/28/22

Cancelled by supplement No. 41 effective 10/17/2023