

PSC No: 120 - Electricity  
New York State Electric & Gas Corporation  
Initial Effective Date: June 24, 2022

Leaf No. 195  
Revision: 15  
Superseding Revision: 14

## SERVICE CLASSIFICATION NO. 5 (Continued)

**SUPPLY SERVICE OPTIONS AVAILABLE TO CUSTOMERS: (CONT'D.)****3. NYSEG Supply Service (NSS) (Cont'd.)**

Lamp Style & Size	Monthly Unit Rate
	Effective Date
<b>Lamp Charge: (Post Tops)</b>	
3,300 Nominal Lumen (50 Watt) H.P.S.*	\$16.22
5,200 Nominal Lumen (70 Watt) H.P.S.*	\$16.59
8,500 Nominal Lumen (100 Watt) H.P.S.*	\$17.07
4,500 Nominal Lumen (30 – 49 Watt) LED	\$12.34
Brackets - standard (up to 16')	\$0.00
Brackets - 16' and over	\$3.75
Additional Wood Pole Installed for Lamp	\$19.20
Wire Service (Overhead) (Per circuit foot of extension)	\$0.05
18' Fiberglass Pole - Direct Embedded	\$19.80
30' Metal Pole - Pedestal Mount+	\$68.77
30' Fiberglass Pole - Direct Embedded+	\$30.12

H.P.S. - High Pressure Sodium

PACKLITE/Power Bracket - for pole mount only.

\*Luminaires are no longer available for new installations or replacements. Upon failure and fulfillment of contract, lights will not be replaced in kind. Customer may select a Light Emitting Diode ("LED") alternative luminaire.

+ Facilities are no longer available for new installations.

Note: The rating of lamps in lumens is for identification purposes only and shall approximate the manufacturer's standard rating.

ISSUED BY: Joseph J. Syta, Vice President, Controller and Treasurer, Binghamton, New York

Suspended to 10/22/2022 by order in Case 22-E-0317. See Supplement No. 61. The supplement filing date was 06/20/2022.  
Suspended to 04/22/2023 by order in Case 22-E-0317. See Supplement No. 62. The supplement filing date was 09/22/2022.  
Suspended to 07/01/2023 by order in Case 22-E-0317. See Supplement No. 63. The supplement filing date was 04/20/2023.  
Suspended to 10/19/2023 by order in Case 22-E-0317. See Supplement No. 65. The supplement filing date was 06/28/2023.  
Cancelled by supplement No. 67 effective 10/17/2023