

PSC NO: 219 GAS

NIAGARA MOHAWK POWER CORPORATION

INITIAL EFFECTIVE DATE: 02/01/22

STAMPS: Issued in compliance with order in Case 20-G-0381 dated January 20, 2022

LEAF: 90

REVISION: 9

SUPERSEDING REVISION: 7

**GENERAL INFORMATION****16. SPECIAL SERVICES PERFORMED BY COMPANY FOR CUSTOMER AT A CHARGE:  
(continued)**

- 16.3.2 The customer shall reimburse the Company the actual reasonable cost of providing demand pulse capability, including the cost of any required hardware and/or labor.
- 16.3.3 In accordance with Rule 16.3.1, the customer will be charged the Company's cost to remove or relocate any existing Company-supplied metering or other equipment that is necessary to accommodate the installation of demand pulse capability.
- 16.3.4 Except as otherwise provided in this Tariff, the Company will have sole responsibility for the installation, maintenance, testing, and removal of all customer-requested demand pulse capability owned by the Company.
  - 16.3.4.1 As provided for in Rule 16.3.2, the customer will be responsible for all costs incurred by the Company in the installation, operation and maintenance of any customer requested demand pulse capability.
  - 16.3.4.2 Except as otherwise provided in this Tariff, the Company will have sole control of all customer-requested demand pulse capability.
  - 16.3.4.3 Consumption data provided by demand pulses is raw data and is not equivalent to billing consumption, which is adjusted by the appropriate BTU zone factor.

**17. ADJUSTMENT OF RATES IN ACCORDANCE WITH CHANGES IN THE COST OF PURCHASED GAS:**

- 17.1 Lost and Unaccounted for Gas ("LAUF") and Factor of Adjustment
  - 17.1.1 Effective September 1, 2018
    - 17.1.1.1 The Factor of Adjustment is set at 1.01539.
    - 17.1.1.2 The LAUF Target is set at 1.516%.
    - 17.1.1.3 The Dead Band Upper Limit is set at 2.516%.
    - 17.1.1.4 The Dead Band Lower Limit is set at 0.516%.
  - 17.1.2 Effective September 1, 2022
    - 17.1.2.1 The Factor of Adjustment is set at 1.01700 and is computed as constant 1.0 divided by 1.0 minus LAUF.
    - 17.1.2.2 The LAUF Target is set at 1.672%.
    - 17.1.2.3 The Dead Band Upper Limit is set at 2.672%.
    - 17.1.2.4 The Dead Band Lower Limit is set at 0.672%.

Issued By: Rudolph L. Wynter, President, Syracuse, New York

Cancelled by 10 Rev. Leaf No. 90 Effective 07/01/2022