

PSC NO: 12 GAS LEAF: 138.71
 COMPANY: THE BROOKLYN UNION GAS COMPANY REVISION: 0
 INITIAL EFFECTIVE DATE: 11/01/21 SUPERSEDING REVISION:
 STAMPS: Issued in compliance with Order in Case 20-G-0086 dated October 7, 2021

GENERAL INFORMATION – Continued

63. Firm Gas Demand Response (“DR”) for Commercial, Industrial and Multi-Family Customers – Continued

8. Events

a. Thresholds

The Company may call DR Events for its large customer program when the forecasted low temperature at the designated weather station is at or below the DR Event Temperature Threshold in the table below for any hour during the gas day. The designated weather stations for the Hourly Low Temperature Thresholds are shown in the table. The Company can call a DR event when the Hourly Low Temperature Threshold is forecast for either one or both of the designated weather stations

Company	Weather Station	Hourly Low Temperature Threshold
KEDNY	LaGuardia Airport	Forecast at or below 10 degrees
KEDLI	Republic Airport	Forecast at or below 10 degrees

b. Emergency Events

The Company may also call DR Events for any Commercial, Industrial and Multi-Family DR program or option in the event of an unexpected loss of upstream or distribution delivery capacity, extreme weather, or any emergency condition threatening the integrity of the Company’s gas systems. Emergency events are expected to be extremely rare.

Issued by: Rudolph L. Wynter, President, Brooklyn, New York