

PSC NO: 12 GAS  
COMPANY: THE BROOKLYN UNION GAS COMPANY  
INITIAL EFFECTIVE DATE: 11/01/21  
STAMPS: Issued in compliance with Order in Case 20-G-0086 dated October 7, 2021

LEAF: 138.73  
REVISION: 0  
SUPERSEDING REVISION:

### **GENERAL INFORMATION – Continued**

#### **63. Firm Gas Demand Response (“DR”) for Commercial, Industrial and Multi-Family Customers – Continued**

##### **9. Enrollment Volumes**

Each year the Company assigns Design Day consumption values (“Design Day dths”) to all customer accounts. These values are based on regression statistics calculated from historical monthly meter readings to predict customer and system-wide gas demand on a day when the temperature is 0 Degrees Fahrenheit. Where available, the Company also will utilize interval metering for returning customers to refine Design Day consumption values for individual accounts.

The Company further breaks down Design Day dths into Design Peak Hour values (“Peak Hour dths”), which can then be applied to specific DR Event windows to arrive at a customer’s maximum potential event dekatherm reduction.

Customers wishing to participate in the program will be required to provide, subject to the Company’s review and acceptance, the committed dekatherm reduction achievable during the applicable program event windows.

##### **10. Incentive Rates**

The Daily Demand Response Incentive Rates shall be shown on the Demand Response Incentive Statement filed with the Public Service Commission not less than 60 days before their effective date.

Issued by: Rudolph L. Wynter, President, Brooklyn, New York