

PSC NO: 121 ELECTRICITY  
NEW YORK STATE ELECTRIC & GAS CORPORATION  
Initial Effective Date: 06/19/19

Leaf: 43  
Revision: 19  
Superseding Revision: 18

### SERVICE CLASSIFICATION NO. 3 (Cont'd.)

#### SUPPLY SERVICE OPTIONS AVAILABLE TO CUSTOMERS: (CONT'D.)

##### 1. ESCO Supply Service (ESS) (Cont'd.)

	Monthly Luminaire Charge
	Effective Date 04/01/20
<b>High Pressure Sodium Special Luminaires</b>	
250 Watts+ - 24,700 - Concourse - A	\$17.13
400 Watts+ - 45,000 - Concourse - A	\$20.72
250 Watts+ - 24,700 - Hiway Liter	\$57.47
400 Watts+ - 45,000 - Hiway Liter	\$57.47
150 Watts+ - 14,400 - Turnpike	\$21.94
250 Watts+ - 24,700 - Turnpike	\$27.32
400 Watts+ - 45,000 - Turnpike	\$26.14
150 Watts+ - 14,400 - Floodlight	\$18.41
250 Watts+ - 24,700 - Floodlight	\$18.41
400 Watts+ - 45,000 - Floodlight	\$18.41
<b>Metal Halide - Floodlights</b>	
250 Watts+ - 16,000 Lumen	\$17.38
400 Watts+ - 28,000 Lumen	\$19.42
<b>Light Emitting Diode (LED) – Cobra head (Initial Lumens)</b>	
2000 Lumen	\$4.64
3000 Lumen	\$4.64
4500 Lumen	\$4.64
6700 Lumen	\$4.97
10000 Lumen	\$6.15
15000 Lumen	\$6.56

+ Luminaires are no longer available for new installations. Upon failure, luminaires shall not be replaced in kind. Customer may select an alternative luminaire light source from the tariff.

ISSUED BY: Joseph J. Syta, Vice President, Controller and Treasurer, Binghamton, New York

Cancelled by supplement No. 34 effective 11/24/2020

Suspended to 12/01/2020 by order in Case 19-E-0378. See Supplement No. 33. The supplement filing date was 10/22/2020  
Suspended to 11/01/2020 by order in Case 19-E-0378. See Supplement No. 32. The supplement filing date was 08/20/2020  
Suspended to 09/14/2020 by order in Case 19-E-0378. See Supplement No. 31. The supplement filing date was 06/25/2020  
Suspended to 07/16/2020 by order in Case 19-E-0378. See Supplement No. 30. The supplement filing date was 03/24/2020  
Suspended to 04/17/2020 by order in Case 19-E-0378. See Supplement No. 29. The supplement filing date was 09/26/2019