Received: 05/01/2018 Status: CANCELLED Effective Date: 09/01/2018

P.S.C. No. 7 Electricity

City of Jamestown

Leaf: 135

Revision: 0

Effective Date: September 1, 2018 Superseding Revision:

# SERVICE CLASSIFICATION No. 7 HIGH DENSITY LOADS INDIVIDUAL NEGOTIATED CONTRACT

## CONTRACT TERM AND REQUIREMENTS:

The term of any initial offering of an Individual Negotiated Contract shall be at least twelve months and shall be limited to a term of eight years, unless a longer term is approved by the New York State Public Service Commission. If a customer desires a fixed price contract with a term in excess of eight years and the Utility is willing to agree to this arrangement, the Utility will request authorization from the New York State Public Service Commission to enter into that arrangement. If the Commission grants the Utility the authority it requests on terms acceptable to the Utility, the Utility will then enter into the agreement.

HDL customers shall pay, in advance, to the Utility the cost for performing a feasibility study to evaluate the impacts and whether the load can be served by the Utility. If feasible, the Utility will identify all the costs associated with serving the Customer. The Customer shall be responsible for all the costs for, engineering, system upgrades and service connection. Payment shall be made to the Utility in advance of any planning or construction.

The Customer shall provide financial security in an amount and form acceptable to the Utility for the Customer's payment of the Customer Cost Contribution, and Rates and Charges in the form of a deposit which shall be equal to two (2) times the Customer's estimated total monthly bill.

### SPECIAL PROVISIONS:

### A. SERVICE VOLTAGE DISCOUNT:

The rates hereunder presume delivery at secondary voltages of 480 volts or less. Where service is delivered at primary voltage the demand measurement will be reduced by 0.8 percent and the energy measurement will be reduced by 1.0 percent before application of the rates specified herein.

#### B. SUBMETERING:

Submetering is not permissible.

Issued by: David L. Leathers, General Manager

City of Jamestown, New York