Received: 06/29/2016 Status: CANCELLED

Effective Date: 07/01/2016

PSC No: 120 - Electricity

New York State Electric & Gas Corporation

Initial Effective Date: July 1, 2016

Leaf No. 195

Revision: 12

Superseding Revision: 10

Issued in compliance with Order in Case 15-E-0283, dated June 15, 2016

SERVICE CLASSIFICATION NO. 5 (Continued)

SUPPLY SERVICE OPTIONS AVAILABLE TO CUSTOMERS: (CONT'D.)

3. NYSEG Supply Service (NSS) (Cont'd.)

	Monthly Unit Rate		
	Effective Date		
Lamp Style & Size	07/01/16	05/01/17	05/01/18
Lamp Charge: (Post Tops) 3,300 Nominal Lumen (50 Watt) H.P.S.* 5,200 Nominal Lumen (70 Watt) H.P.S. 8,500 Nominal Lumen (100 Watt) H.P.S.	\$9.99 \$9.99 \$9.97	\$10.47 \$10.47 \$10.45	\$10.96 \$10.96 \$10.93
Brackets - standard (up to 16') Brackets - 16' and over Additional Wood Pole Installed for Lamp Wire Service (Overhead) (Per circuit foot of extension) 18' Fiberglass Pole - Direct Embedded 20' Fiberglass Pole - Pedestal Mount 20' Metal Pole - Pedestal Mount 30' Metal Pole - Pedestal Mount 30' Fiberglass Pole - Pedestal Mount 30' Fiberglass Pole - Direct Embedded Screw Base for Pedestal Mounted Pole - Light Duty Screw Base for Pedestal Mounted Pole - Heavy Duty	\$0.00 \$2.44 \$12.49 \$0.03 \$12.89 \$44.76 \$44.76 \$44.76 \$19.60 \$13.63 \$17.39	\$0.00 \$2.56 \$13.08 \$0.04 \$13.51 \$46.90 \$46.90 \$46.90 \$20.54 \$14.28 \$18.22	\$0.00 \$2.68 \$13.69 \$0.04 \$14.14 \$49.09 \$49.09 \$49.09 \$49.09 \$1.50 \$14.95 \$19.07

H.P.S. - High Pressure Sodium

PACKLITE/Power Bracket - for pole mount only.

Note: The rating of lamps in lumens is for identification purposes only and shall approximate the manufacturer's standard rating.

ISSUED BY: James A. Lahtinen, Vice President Rates and Regulatory Economics, Binghamton, New York

^{*}Luminaires are no longer available for new installations. Upon failure and fulfillment of contract, lights will not be replaced in kind. Customer may select an alternative luminaire.