

Birch Communications of the Northeast, Inc.
d/b/a Birch

PSC No: 2 - Telephone
Effective Date: March 3, 2017

Leaf 6
Revision: 0
Superseding Revision:

ACCESS SERVICES

SECTION 1 - DEFINITIONS AND ABBREVIATIONS (CONT'D)

DS0 - Digital Signal Level 0; a dedicated, full duplex digital channel with line speeds of 2.4, 4.8, 9.6, 19.2, 56 or 64 Kbps.

DS1 - Digital Signal Level 1; a dedicated, high capacity, full duplex channel with a line speed of 1.544 Mbps isochronous serial data having a line signal format of either Alternate Mark Inversion (AMI) or Bipolar with 8 Zero Substitution (B8ZS) and either Superframe (D4) or Extended Superframe (ESF) formats. DS1 Service has the equivalent capacity of 24 Voice Grade or DS0 services.

DS3 - Digital Signal Level 3; a dedicated, high capacity, full duplex channel with a line speed of 44.736 Mbps isochronous serial data having a line code of bipolar with three zero substitution (B3ZS). Equivalent capacity of 28 DS1 Services.

Dual Tone Multifrequency (DTMF) - Tone signaling, also known as touch tone signaling.

End Office - The Central Office from which the End User's Premises would normally obtain local exchange service and dial tone from the Company or other local exchange carrier.

End Office Switch - A Company switching system where Customer or End User station loops are terminated for purposes of interconnection to other station loops, trunks or access facilities. In most contexts, the End User is connected via station loops or trunks to an End Office Switch.

Issued By: Gordon P. Williams, Jr., Senior Vice President & General Counsel