

Media Three Corporation, Inc.
P.S.C. No. 3 – Access
Effective Date: 11/10/2013

Leaf: 109
Revision 0
Superseding Revision:

ACCESS SERVICE

4. SWITCHED ACCESS SERVICE (Cont'd)

4.3 Local Switching Optional Features (Cont'd)

4.3.2 SS7 Signaling Option (Cont'd)

(C) Carrier Selection Parameter (CSP) (Cont'd)

The specific protocols for Calling Party Number, Charge Number and Carrier Selection Parameter features are contained in the Technical Publication TR-TSV-000905.

(D) Access Transport Parameter (ATP)

This feature provides for the automatic transmission of Called Party Subaddress, Calling Party Subaddress, High Layer Compatibility and Low Layer Compatibility, as described in the Technical Publication TR-TSV-000962, with calls originating or terminating to an Integrated Services Digital Network (ISDN). ATP is available with Feature Group D when ordered with the 64 kbps Clear Channel Capability optional feature. This feature is provided with the SS7 Signaling Option. The specific protocols for Calling Party Number, Charge Number, Carrier Selection Parameter and Access Transport Parameter features are contained in the Technical Publications TR-TSV-000905 and TR-TSV-000962.

(E) Carrier Identification Parameter (CIP)

This feature provides for the transmission of Carrier Identification Code (CIC) information to customers on originating Feature Group D Switched Access Service. CIP is available from suitably equipped end offices and access tandems, when the SS7 Signaling Option is specified. When CIP is provided, the switch will transmit, to the customer premises, the 3 or 4 digit CIC of the presubscribed line, or the CIC selected when the end user places a call using 101XXXX dialing. CIP is available on an originating basis as a chargeable optional feature with originating or two-way FGD trunk groups.

Issued By: Paul Butler, Vice President, 254 36th Street, Unit 12 – Suite C304, Brooklyn, NY 11232

Cancelled by supplement No. 1 effective 06/13/2022