

Qwest Communications Company, LLC d/b/a CenturyLink QCC  
PSC NO. 4 - TELEPHONE  
Competitive Access Services Tariff  
Effective Date: August 21, 2013

Section 6  
Leaf 19  
Revision 0  
Superseding Revision: }

## 6. SWITCHED ACCESS SERVICE

### 6.5 OBLIGATIONS OF THE COMPANY (Cont'd)

#### 6.5.5 DESIGN BLOCKING PROBABILITY

The Company will perform routine measurement functions for the trunks ordered in accordance with Company design blocking criteria to assure that an adequate number of trunks are in service. The Company will recommend that additional trunks be ordered by the customer when additional trunks are required to reduce the measured blocking to the designed blocking level. Where design blocking criteria apply, the design blocking objective is assumed to have been met if the routine measurements show that the measured blocking does not exceed the thresholds listed in the following table.

For transmission paths carrying first-routed traffic between an end office and a customer's premises via a tandem, the measured blocking thresholds are as follows:

NUMBER OF TRANSMISSION PATHS PER TRUNK GROUP	MEASURED BLOCKING THRESHOLDS IN THE TIME CONSISTENT BUSY HOUR FOR THE NUMBER OF MEASUREMENTS PER TRUNK GROUP			
	15-20	11-14	7-10	3-6
	MEASURE- MENTS	MEASURE- MENTS	MEASURE- MENTS	MEASURE- MENTS
2	.045	.055	.060	.095
3	.035	.040	.045	.060
4	.035	.040	.045	.055
5-6	.025	.035	.040	.045
7 or more	.020	.025	.030	.040

Issued by: Jeff Glover

Vice President – Regulatory Operations  
100 CenturyTel Drive, Monroe, LA 71203

NY2013-004