

PSC NO: 1 GAS LEAF: 11  
COMPANY: KEYSpan GAS EAST CORP. DBA BROOKLYN UNION OF L.I. REVISION: 4  
INITIAL EFFECTIVE DATE: 11/01/14 SUPERSEDING REVISION: 3  
STAMPS:

**GENERAL INFORMATION****II. Rules and Regulations:**

## 1--Definition of Terms:

A

Abbreviations: BTU = British Thermal Unit = The quantity of heat necessary to raise the temperature of one pound of water one degree Fahrenheit.

THM = Therm = 100,000 BTU

DTHM = Dekatherm = 10 THM

CF = Cubic Feet = A unit of measurement of gas volume.

CCF = 100 CF

MCF = 1,000 CF

Access Controller: A party known to the Company to be in control of access to the metering equipment of a Customer, and to have an active account of its own with the Company.

Actual Reading: Is a reading of a meter obtained either by a Customer and submitted to the Company, or by a Company employee. Actual readings can also be made remotely from a transmission device attached to the meter.

Adjusted Gas Revenues: Revenues realized from the applicable service classification rates and charges, minus revenue taxes, the minimum charge and the cost of gas.

Aggregate Daily Imbalance Percentage: Applicable to Sellers participating in the Company's Daily Balancing Program. The Aggregate Daily Imbalance Percentage is calculated by subtracting: 1) the telemetered daily consumption grossed up for UFG of the Seller's pool from: 2) the quantity of gas the Seller delivers to the city gate for the pool and dividing this difference by: 3) the telemetered daily consumption grossed up for UFG of the pool.

Issued by: David B. Doxsee, Vice President, Hicksville, NY