

PSC NO: 1 GAS LEAF: 34
COMPANY: KEYSpan GAS EAST CORP. DBA BROOKLYN UNION OF L.I. REVISION: 3
INITIAL EFFECTIVE DATE: 06/01/14 SUPERSEDING REVISION: 2
STAMPS:

GENERAL INFORMATION

II. Rules and Regulations (continued):

2--How Service May Be Obtained (continued):

F. Sub-metering (continued)

.3 Both tenants and Company will be furnished the above information in .4.2 above, and

.4 If a high-pressure piping system is to be installed (i.e., space pressurized pipes at 2.0 psi or above), the submeter shall:

.5 Rates

The submeter shall not charge more than the Company's tariff rates for submetering service. This condition is met if average rate to submetered Customer does not exceed the average rate by the Company to the submeterer.

.6 Customer Issues

1) The application shall provide for an effective consumer dispute resolution process.

2) The submeterer, periodically, shall reconcile the master meter reading to the customer's meters.

3) The submeterer shall calibrate meters anytime they are installed or repaired.

4) The submeter shall install only meter models approved by the Public Service Commission.

5) The Company will notify submetered tenants if service is to be terminated prior to service termination.

G. Residential Automatic Meter Reading ("AMR") Opt-Out Option

.1 Residential customers who do not wish to have an AMR meter installed at their premises, have an option to "opt-out" and have their AMR meter replaced with a non-AMR meter.

.1.1 Customers who elect this option will be charged an initial fee for the removal of the existing AMR meter and the installation of the non-AMR meter. Additionally, by electing this option, the customers will be charged a monthly meter reading fee for the non-AMR meter.

.1.1.1 The initial fee will be \$84.14 for a meter replacement.

.1.1.2. Customers will not be assessed the initial fee until the Company installs the non-AMR meter.

Issued by: William J. Akley, President, Hicksville, NY