



Consolidated Edison Company
of New York Inc.
4 Irving Place
New York, NY 10003
www.conEd.com

August 1, 2014

Honorable Kathleen H. Burgess
Secretary
New York State Department of Public Service
Three Empire State Plaza, 19th Floor
Albany, New York 12223

Re: Rates for Use of Company Facilities for
Telecommunications Purposes

Dear Secretary Burgess:

Consolidated Edison Company of New York, Inc. ("Con Edison" or "Company") hereby files with the Public Service Commission ("the Commission") TEL Statement No. 4 to its Schedule for Electric Service, P.S.C. No. 10 – Electricity ("Tariff"). This compliance filing updates the rental rates for billings under Rider X of the Company's tariff. This statement is issued August 1, 2014, to become effective on September 1, 2014.

Rider X provides for Con Edison's rental rates to be updated periodically, and at least annually effective September 1, to reflect the cost of new construction undertaken by the Company at the request of its telecommunications customers for space in its underground facilities. The Company's rental rates applicable to the use of Company facilities by telecom providers were last updated in a filing made on August 1, 2013 to become effective September 1, 2013.

Summary of Proposed Changes

The attached Statement of Rental Rates Applicable to Telecommunications Companies ("Statement") reflects adjustments to the rates applicable to the use of Company facilities by telecom providers as described below:

- Rental Rate for Use of Innerduct, except in service laterals: the updated blended rate per foot of innerduct in use or reserved is \$4.1845 per foot and reflects verified construction charges over a ten-year period. This is a decrease from the current rate of \$4.4655 per foot. The decrease is due primarily to the drop out of approximately \$0.7 million in telecommunications underground facilities costs that have been recovered over a ten-year period and an overall increase in footage used or reserved.
- Rental Rate for Use of Innerduct in Service Laterals: the updated service lateral rate is \$4.32 per foot. This is an increase from the existing rate of \$4.14 per foot.

Honorable Kathleen H. Burgess

August 1, 2014

Page 2

- Rental Rate for Use of a Telecommunications Manhole: the updated rate per telecommunications manhole use is \$2,235. This is an increase from the existing rate of \$2,223. The number of Telecommunications Manhole Uses used to determine the Telecom Manhole Rate has increased from 412 to 416.
- Rental Rate for an Electric Manhole as a Splice Enclosure
 - a) Up to and including 40 feet of loop length: the updated rate is \$76.6160, which is 40 feet multiplied by the updated electric underground facilities rate of \$1.9154. The current rate of \$79.3920 reflects 40 feet multiplied by the existing electric underground facilities rate of \$1.9848.
 - b) Exceeding 40 feet of loop length: the annual charge is equal to the new updated electric underground facilities rate of \$1.9154 per foot over 40 feet.
- Rental Rate for a Telecom Manhole as a Splice Enclosure
 - a) Annual rate for the first 240 aggregate feet of loop length: this is unchanged, at no charge.
 - b) Annual rate per foot of total aggregate loop length when the 240 foot allowable maximum is exceeded: this is 10 times the blended rate of \$4.1845, or \$41.8450 per foot of total aggregate loop length.
- Rental Rate for an Electric Manhole Point of Entry ("POE"): the annual rate per POE has increased from \$86.8594 to \$88.6563.
- Submarine River Crossings: the rental rate per innerduct for river crossing A remains \$153,868 per year; for river crossing B, the rental rate remains \$473,149 per year; for river crossing C, the rental rate remains \$279,366 per year; for river crossing D, the rental rate remains \$4,611 per year, and for river crossing E, the rental rate remains \$1,427 per year.
- Transmission Towers: the rental rate for tower attachments on the Company's "K" and "E" lines remains constant at \$1,038 and \$524, respectively.
- Rights-of-Way ("ROW") Access: charges for the use of Company ROW for overhead and underground telecommunication installations have been increased from \$0.7634 per foot to \$0.7863 per foot for aerial passage on a ROW and from \$1.5580 to \$1.6047 per foot for underground passage on a ROW.
- Telecommunications Manhole Average Cost: the average cost for a telecommunications manhole decreases from \$40,667 to \$40,631.
- Unused Telecommunications Manhole Average Cost: the average cost for an unused telecommunications manhole remains at \$35,249.

Honorable Kathleen H. Burgess

August 1, 2014

Page 3

Work papers explaining the bases for these adjustments are attached. Copies of this filing are being mailed by regular mail and sent via e-mail to Rider X customers. Questions regarding this filing can be directed to Cheryl M. Ruggiero at (212) 460-3189.

Very truly yours,

/s/

William A. Atzl, Jr.
Director – Rate Engineering

Cc: Marco Padula (DPS Staff)
Gary Hildenbrandt (DPS Staff)